



- LOGO CHANNELS W/ ALUM. RETAINERS & WHITE LED ILLUMINATION. FACES OF 3/16" WHITE ACRYLIC & DIGITALLY PRINTED TRANSLUCENT VINYL OVERLAY
- FABRICATED ALUMINUM CABINET INTERNALLY ILLUMINATED W/ WHITE LED MODULES. FINISH "M.A.P." TO MATCH "S.W." 7688 I 289-C1 "SUNDEW" SATIN FINISH
- FACES TO BE OF .125 ALUMINUM W/ COPY ROUTED & BACKED W/ 1/2" WHITE PUSH THRU ACRYLIC & #006 "INTENSIVE BLUE" TRANSLUCENT VINYL OVERLAY
- COLUMN & BASE ACCENT EMBELLISHMENTS TO BE SIERRA LODGE-BROOKSIDE STONE CLADDING
- BASE FINISHED TO MATCH "S.W." #7068 GRIZZLE GRAY

**D/F MONUMENT SIGN ELEVATION SCALE: 1/2" = 1'-0"**

This item has been electronically signed and sealed by John J. Orlando, PE using a Digital Signature and date. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Conforms to the requirements of the 7th Edition (2020) of the Florida Building Code sections 1620 HVHZ and 3107, V(ult) = 170 mph, Exposure category = C, Risk category = II  
 John J. Orlando PE LLC - 165 Old Ridge Road - Macon, GA 31211 - 478 731 5394 - jjorlando@cox.net - Florida registration # 0044089 Job 5623FS sheet 1 of 4

PALM BEACH: (561) 802-4242 MARTIN: (561) 340-4865 BROWARD: (954) 764-2042

\*Colors shown on drawing are for presentation purposes. All colors must be confirmed and signed by client before production.



CLIENT: CITY OF MARGATE  
 LOCATION: MARGATE, FL.  
 DESIGN: #0423018 A CITY OF MARGATE / SOUTHGATE  
 DATE: 4/19/23  
 SALES: T. LEWZADER  
 DESIGNER: C. COOPER  
 DISK: DRAWINGS 2023 / APRIL

DATE:	REVISIONS
04/18/23	REVISE COPY

**COLOR SPECIFICATIONS:**

**NOTICE TO CUSTOMER**

Any party accepting this agrees that it should not be duplicated, in whole or part, nor disclose to others without written consent of Ferrin Signs Inc. Permission to copy or revise this drawing can only be obtained thru a written agreement with Ferrin Sign Inc.

**NOTE: ALL ELECTRICAL SIGNAGE WILL BE REQUIRED TO HAVE A ASTRONOMICAL TIME CLOCK AS PER CODE. ALL ELECTRICAL SIGNS MUST HAVE A DEDICATED SIGN CIRCUIT(S) FOR EACH SIGN AS PER CODE. ALL ELECTRICAL SIGNAGE TO HAVE A ON/OFF SWITCH WITH IN SITE OF SIGN AS PER CODE. \*THIS IS THE CLIENTS RESPONSIBILITY UPON INSTALLATION\***

CLIENT APPROVAL: \_\_\_\_\_ DATE: \_\_\_\_\_