

## Marta Reczko

---

**From:** Curt DeBrunner <cdebrunner@synagro.com>  
**Sent:** Thursday, September 7, 2023 10:15 AM  
**To:** Marta Reczko  
**Cc:** Pedro Stiassni  
**Subject:** Re: [ External Email ] RE: Biosolids and Lime Hauling Synagro

This message has originated from an **External Source outside of Margate**. Please use proper judgment and caution when opening attachments, clicking links, or responding to this email.

Marta, good morning. Thanks for checking in.

We are still trying to get commitments from our ranches that we send our biosolids and lime to for land application to take the number of loads you ship out each week, and I haven't been able to secure that as of yet. Their capacity with the new FDEP regulations on the density they can land apply is making it difficult to put together our pricing.

I appreciate your patience as we work on getting our pricing to the City.

---

**From:** Marta Reczko <mreczko@margatefl.com>  
**Sent:** Wednesday, September 6, 2023 12:08 PM  
**To:** Curt DeBrunner <cdebrunner@synagro.com>  
**Cc:** Pedro Stiassni <pstiassni@margatefl.com>  
**Subject:** RE: [ External Email ] RE: Biosolids and Lime Hauling Synagro

Curt  
Would you happen to have any updates on the pricing?  
Before you go ahead and finalize the proposal, please let us know the proposed pricing. Our current contract is nearing its expiration, and we need to provide a recommendation to the City Commissioners asap.



Thank you, as always!

*Marta Reczko*

Assistant Director Utilities  
City of Margate  
Dept. of Environmental & Engineering Services (DEES)  
901 NW 66th Ave., Suite A, Margate, FL 33063  
Direct: (954) 884-3632  
Cell: (615) 585-1994

---

**From:** Pedro Stiassni <pstiassni@margatefl.com>  
**Sent:** Friday, August 25, 2023 4:22 PM  
**To:** Curt DeBrunner <cdebrunner@synagro.com>  
**Cc:** Marta Reczko <mreczko@margatefl.com>  
**Subject:** RE: [ External Email ] RE: Biosolids and Lime Hauling Synagro

Ok, thanks for letting me know.

**Pedro Stiasni, MS, CLSSGB**

Utilities Project Manager

City of Margate

Dept. of Environmental & Engineering Services



---

**From:** Curt DeBrunner <[cdebrunner@synagro.com](mailto:cdebrunner@synagro.com)>

**Sent:** Tuesday, August 22, 2023 4:38 PM

**To:** Pedro Stiasni <[pstiasni@margatefl.com](mailto:pstiasni@margatefl.com)>

**Cc:** Marta Reczko <[mreczko@margatefl.com](mailto:mreczko@margatefl.com)>

**Subject:** Re: [ External Email ] RE: Biosolids and Lime Hauling Synagro

This message has originated from an **External Source outside of Margate**. Please use proper judgment and caution when opening attachments, clicking links, or responding to this email.

Hey there Pedro. Still working on our proposal and don't have it ready as of yet.

I'll follow up with you soon.

---

**From:** Pedro Stiasni <[pstiasni@margatefl.com](mailto:pstiasni@margatefl.com)>

**Sent:** Tuesday, August 22, 2023 4:12 PM

**To:** Curt DeBrunner <[cdebrunner@synagro.com](mailto:cdebrunner@synagro.com)>

**Cc:** Marta Reczko <[mreczko@margatefl.com](mailto:mreczko@margatefl.com)>

**Subject:** RE: [ External Email ] RE: Biosolids and Lime Hauling Synagro

Curt,

By any chance, do you have a price for us?

**Pedro Stiasni, MS, CLSSGB**

Utilities Project Manager

City of Margate

Dept. of Environmental & Engineering Services



---

**From:** Curt DeBrunner <[cdebrunner@synagro.com](mailto:cdebrunner@synagro.com)>

**Sent:** Thursday, August 10, 2023 12:59 PM

**To:** Pedro Stiasni <[pstiasni@margatefl.com](mailto:pstiasni@margatefl.com)>

Cc: Marta Reczko <[mreczko@margatefl.com](mailto:mreczko@margatefl.com)>

Subject: Re: [ External Email ] RE: Biosolids and Lime Hauling Synagro

This message has originated from an **External Source outside of Margate**. Please use proper judgment and caution when opening attachments, clicking links, or responding to this email.

Good afternoon. Thanks again for taking the time to meet with me the other day and discuss your biosolids and lime sludge disposal.

Checking to see if you are able to send me the analysis that you have when you tested the sludge recently?

Thanks,  
Curt

---

**From:** Pedro Stiassni <[pstiassni@margatefl.com](mailto:pstiassni@margatefl.com)>

**Sent:** Thursday, August 3, 2023 12:12 PM

**To:** Curt DeBrunner <[cdebrunner@synagro.com](mailto:cdebrunner@synagro.com)>

**Cc:** Marta Reczko <[mreczko@margatefl.com](mailto:mreczko@margatefl.com)>; Wendell Wheeler <[wwheeler@margatefl.com](mailto:wwheeler@margatefl.com)>; Mike Uber <[ruber@margatefl.com](mailto:ruber@margatefl.com)>; Frances Rodriguez <[frodriguez@margatefl.com](mailto:frodriguez@margatefl.com)>

**Subject:** RE: [ External Email ] RE: Biosolids and Lime Hauling Synagro

Sounds good. See you tomorrow.

I am here from 9 to 5

**Pedro Stiassni, MS, CLSSGB**

Utilities Project Manager

City of Margate

Dept. of Environmental & Engineering Services



---

**From:** Curt DeBrunner <[cdebrunner@synagro.com](mailto:cdebrunner@synagro.com)>

**Sent:** Thursday, August 3, 2023 11:30 AM

**To:** Pedro Stiassni <[pstiassni@margatefl.com](mailto:pstiassni@margatefl.com)>

**Cc:** Marta Reczko <[mreczko@margatefl.com](mailto:mreczko@margatefl.com)>; Wendell Wheeler <[wwheeler@margatefl.com](mailto:wwheeler@margatefl.com)>; Mike Uber <[ruber@margatefl.com](mailto:ruber@margatefl.com)>; Frances Rodriguez <[frodriguez@margatefl.com](mailto:frodriguez@margatefl.com)>

**Subject:** Re: [ External Email ] RE: Biosolids and Lime Hauling Synagro

This message has originated from an **External Source outside of Margate**. Please use proper judgment and caution when opening attachments, clicking links, or responding to this email.

Thanks for the reply, Pedro. I will follow up with the details of the analysis needed.

I will be in the area tomorrow, and would like to see if I could schedule a brief meeting at the WTP and WWTP to become more familiar with the plants.

Let me know if tomorrow will work for meeting.

Thanks,

Curt

---

**From:** Pedro Stiasni <[pstiassni@margatefl.com](mailto:pstiassni@margatefl.com)>

**Sent:** Thursday, August 3, 2023 9:34 AM

**To:** Curt DeBrunner <[cdebrunner@synagro.com](mailto:cdebrunner@synagro.com)>

**Cc:** Marta Reczko <[mreczko@margatefl.com](mailto:mreczko@margatefl.com)>; Wendell Wheeler <[wwheeler@margatefl.com](mailto:wwheeler@margatefl.com)>; Mike Uber <[ruber@margatefl.com](mailto:ruber@margatefl.com)>; Frances Rodriguez <[frodriguez@margatefl.com](mailto:frodriguez@margatefl.com)>

**Subject:** RE: [ External Email ] RE: Biosolids and Lime Hauling Synagro

Dear Curt,

In response to your recent request for an analysis of the biosolids sludge and lime sludge from our Water and Wastewater Treatment Plants, I'd like to ensure we provide you with the most accurate and relevant information possible.

Could you kindly specify the particular parameters you would like to see in the analysis? This could include factors such as concentrations of specific compounds, pH levels, organic content, or any other parameters pertinent to your analysis and disposal pricing.

Upon receipt of this information, I will ensure a swift response, providing you with the detailed analysis you need for your land application approval and disposal pricing verification.

Thank you in advance for your assistance and cooperation.

Best regards,

**Pedro Stiasni, MS, CLSSGB**

Utilities Project Manager

City of Margate

Dept. of Environmental & Engineering Services



---

**From:** Curt DeBrunner <[cdebrunner@synagro.com](mailto:cdebrunner@synagro.com)>

**Sent:** Tuesday, August 1, 2023 3:36 PM

**To:** Pedro Stiasni <[pstiassni@margatefl.com](mailto:pstiassni@margatefl.com)>

**Cc:** Marta Reczko <[mreczko@margatefl.com](mailto:mreczko@margatefl.com)>; Wendell Wheeler <[wwheeler@margatefl.com](mailto:wwheeler@margatefl.com)>; Mike Uber <[ruber@margatefl.com](mailto:ruber@margatefl.com)>

**Subject:** Re: [ External Email ] RE: Biosolids and Lime Hauling Synagro

This message has originated from an **External Source outside of Margate**. Please use proper judgment and caution when opening attachments, clicking links, or responding to this email.

Pedro, good afternoon. Any chance you can have analysis sent to me for the biosolids sludge and lime sludge that was performed? This will be needed for our land application approval and to verify pricing for disposal.

Thanks

---

**From:** Pedro Stiassni <[pstiassni@margatefl.com](mailto:pstiassni@margatefl.com)>

**Sent:** Thursday, July 27, 2023 11:02 AM

**To:** Curt DeBrunner <[cdebrunner@synagro.com](mailto:cdebrunner@synagro.com)>

**Cc:** Marta Reczko <[mreczko@margatefl.com](mailto:mreczko@margatefl.com)>; Wendell Wheeler <[wwheeler@margatefl.com](mailto:wwheeler@margatefl.com)>; Mike Uber <[ruber@margatefl.com](mailto:ruber@margatefl.com)>

**Subject:** [ External Email ] RE: Biosolids and Lime Hauling Synagro

[EXTERNAL EMAIL]

**CAUTION: This email originated from outside the organization. Do not click links or open attachments unless you validate the sender and know the content is safe.**

Dear Curt,

I wanted to provide you with an update on the responses I received from both Plant Managers regarding our recent inquiries.

Firstly, Wendell, the Wastewater Plant Manager, shared the following information:

1. In 2022, we sent 984.59 dry tons of biosolids.
2. Typically, we maintain 3 to 4 trailers on-site at the WWTP (Wastewater Treatment Plant).
3. As the trailers are filled, they are transported to the designated site locations. We load trailers five days a week, occasionally six days, but this is a rare occurrence.
4. The biosolids' moisture content averages between 16% to 18%.
5. It's worth noting that we meet the requirements of 503 Part B for Class B biosolids.
6. The primary disposal method involves land application.

On the other hand, Mike, the Water Treatment Plant Manager, provided the following details:

1. Approximately 45 loads per month, each load being around 20 cubic yards.
2. The company responsible for the disposal process handles their trucks, and the City Employee loads the lime using a Front Loader. On average, we load two trucks per day.
3. Unlike the Wastewater Plant, we don't store extra trailers on-site for lime disposal. Instead, we pile the lime next to the pond and load it when the trailer arrives.
4. Please note that specific moisture content data does not apply to lime disposal.
5. Similarly, there is no specific information regarding lime classification, as it is unrelated to biosolids.
6. The primary disposal method for lime is also through land application.

For any additional questions or clarifications, both Plant Managers have been copied on this email, and Marta, the Assistant Director, is also available to assist.

Thank you for your valuable assistance.

Best regards,

**Pedro Stiassni, MS, CLSSGB**  
Utilities Project Manager  
City of Margate  
Dept. of Environmental & Engineering Services



**From:** Curt DeBrunner <[cdebrunner@synagro.com](mailto:cdebrunner@synagro.com)>  
**Sent:** Wednesday, July 26, 2023 9:49 AM  
**To:** Pedro Stiassni <[pstiassni@margatefl.com](mailto:pstiassni@margatefl.com)>  
**Subject:** Biosolids and Lime Hauling Synagro

This message has originated from an **External Source outside of Margate**. Please use proper judgment and caution when opening attachments, clicking links, or responding to this email.


Pedro, good morning. Thanks again for reaching out to us yesterday about the City's hauling and disposal needs from the wastewater and water treatment plants.

As you are aware, Synagro has the capability to manage both the lime sludge and biosolids sludge. Just a couple of questions I have.

1. Estimated volume (wet tons) of biosolids sludge and lime sludge produced each day or in a week?
2. How many end dump trailers are staged (if they are staged unless the sludge is live loaded) at each plant?
3. How frequently are the trailers swapped out?
4. What is the average % solids of the sludge?
5. Are the biosolids treated to class B?
6. What is the current disposal method for biosolids (land application or compost) and the lime (land application or landfill)?

Appreciate you getting back with me so we can work on a proposal.

Thanks,  
Curt



**Curt DeBrunner**  
Florida Area Sales Manager

, Tampa, FL, 33624  
O: (813) 495-1060  
[cdebrunner@SYNAGRO.com](mailto:cdebrunner@SYNAGRO.com) | [synagro.com](http://synagro.com)  
[Facebook](#) | [Twitter](#) | [Linkedin](#)




---

Please Note: The City of Margate is a public entity subject to Chapter 119 of the Florida Statutes concerning public records. Under Florida law, e-mail addresses are public records. If you do not want your e-mail address released in response to a public records request, do not send electronic mail to this entity. All e-mail messages sent and received are captured by our server and retained as public records.



**Curt DeBrunner**  
**Florida Area Sales Manager**  
, Tampa, FL, 33624  
O: (813) 495-1060  
[cdebrunner@SYNAGRO.com](mailto:cdebrunner@SYNAGRO.com) | [synagro.com](http://synagro.com)  
[Facebook](#) | [Twitter](#) | [Linkedin](#)





**Curt DeBrunner**  
**Florida Area Sales Manager**

, Tampa, FL, 33624

O: (813) 495-1060

[cdebrunner@SYNAGRO.com](mailto:cdebrunner@SYNAGRO.com) | [synagro.com](http://synagro.com)

[Facebook](#) | [Twitter](#) | [Linkedin](#)





**Curt DeBrunner**  
**Florida Area Sales Manager**

, Tampa, FL, 33624

O: (813) 495-1060

[cdebrunner@SYNAGRO.com](mailto:cdebrunner@SYNAGRO.com) | [synagro.com](http://synagro.com)

[Facebook](#) | [Twitter](#) | [Linkedin](#)



**Curt DeBrunner**



**Florida Area Sales Manager**

, Tampa, FL, 33624

O: (813) 495-1060

[cdebrunner@SYNAGRO.com](mailto:cdebrunner@SYNAGRO.com) | [synagro.com](http://synagro.com)

[Facebook](#) | [Twitter](#) | [Linkedin](#)



**Curt DeBrunner**

**Florida Area Sales Manager**

, Tampa, FL, 33624

O: (813) 495-1060

[cdebrunner@SYNAGRO.com](mailto:cdebrunner@SYNAGRO.com) | [synagro.com](http://synagro.com)

[Facebook](#) | [Twitter](#) | [Linkedin](#)

