



12550 WILES RD
CORAL SPRINGS, FL 33076
954-571-2339 PHONE
954-571-2251 FAX
561-667-8736 CELL

STATE LIC. CSC 1110285

7/21/2023

To: FIRE STATION 18

Brian M. Farmer

Electrician II

Public Works

City of Margate

102 North Rock Island Road

Margate, FL 33063

954-658-4249

From:

James Martin
Advanced Hood Systems
12550 Wiles rd,
Coral Springs ,FL 33076
Local: (561) 667-8736
Office: (954) 571-2339
Fax: (954) 571-2251

Ship-To:

Advanced Hood Systems proposes to furnish the following equipment. Production of listed items will commence upon receipt of an approved proposal, a purchase order, an approved submittal, and approved credit.

(INSTALLATION INCLUDES)

- INSTALL HOOD
- INSTALL EXHAUST AND SUPPLY AIR DUCT
- INSTALL 2 ROOF CURBS
- INSTALL EXHAUST AND SUPPLY FANS
- INSTALL BACK SPLASH
- INSTALL HOOD SKIRT
- FIRE SYSTEM HOOK UP
- PLANS AND PERMITS
- INSPECTIONS

EQUIPMENT:

Hood #1 - Job #6117797

4824AH-ND-2-PSP-F - 3ft 6" Long Exhaust-Only Wall Canopy Hood with 14" Wide Front Perforated Supply Plenum with Built-in 3" Back Standoff	x1
- 430 SS Where Exposed	x1
- Fire Cabinet Wall Mounted 12.00" Width x 36.00" Length x 24.00" Height	x1
- FILTER - 20" tall x 20" wide Kleen-Gard Stainless Steel Baffle Filter with Handles and Bottom Hanging Hook, UL Classified	x2
- L55 Series E26 Canopy Light Fixture - High Temp Assembly, Includes Clear Thermal and Shock Resistant Globe (L55 Fixture), Bulbs By Others	x1
- EXHAUST RISER - Factory installed 8" X 8" X 4"	x1
- SUPPLY RISER - 10"x 24" Supply Riser with Volume Dampers	x1
- 1/2 Pint Grease Cup New Style, Flanged Slotted	x2
- FIELD WRAPPER 18.00" High Front, Left, Right	x1
- Face Mount 1st Switch	x1
- BACKSPLASH 122.00" High X 80.00" Long 430 SS Vertical (Includes End Caps & Divider Bars)	x1
- Face Mount Extra Switch(es)	x1
- LEFT END STANDOFF (FINISHED) 1" Wide 48" Long Insulated	x1
- RIGHT END STANDOFF (FINISHED) 1" Wide 48" Long Insulated	x1
- BACKSPLASH - INSIDE CORNER 80.00" High X 2.00" Leg Length 430 SS Vertical (Includes End Caps & Divider Bars)	x1
- BACKSPLASH - INSIDE CORNER 80.00" High X 2.00" Leg Length 430 SS Vertical (Includes End Caps & Divider Bars)	x1
- BACKSPLASH - OUTSIDE CORNER 80.00" High X 2.00" Leg Length 430 SS Vertical (Includes End Caps & Divider Bars)	x1
- Parts required to mount prewire sensor in capture volume of hood. Sensor installed directly in line with center of riser and in center of capture volume front to back. Sensor supplied from ECP tied to hood.	x1

Hood #1 Total Price: \$4,403.28

Fire System #1 - Job #6117797

TANK-SP-1-WC Tank Fire Suppression 4 gallon Fire System in a Wall Mounted Utility Cabinet (includes pre-piped hood(s) with electric detection, tank(s), 24 VDC release mechanism, fire system agent, pressurized tanks, and electric pull station). (Formerly CAS-EWC). Includes piping for hood: 1.	x1
- Tank-based Fire Protection System equipped with Electronic Detection utilizing CORE board as a Listed Release Mechanism. Installed in Wall Mounted Utility Cabinet separate from prewire. Includes 12" box housing circuit board, batteries, and terminals for connection to main control panel.	x1
- Pressure Switch - Monitors Tank Pressure, Supervised Signal, TANK FIRE SUPPRESSION	x1
- SC-EGVA2 GAS VALVE - 2" Electrical Shutoff Valve for use with HMI reset, 110V, 60Hz (#8214280). Includes upstream strainer assembly.	x1

Fire System #1 Total Price: \$3,784.42

Fan #1 AH-DU33HFA - Exhaust Fan - Job #6117797

AH-DU33HFA High Speed Direct Drive Centrifugal Upblast Exhaust Fan with speed control (speed control included for single phase only), disconnect switch and 11-3/4" wheel. x1
 Exhaust Fan handles 700 CFM @ -0.500" wc ESP, Fan runs at 1292 RPM.
 Exhaust Motor: 0.333 HP, 1 Phs, 115 V, 60 Hz, 4.3 FLA, TEAO-ECM (Totally Enclosed Air Over Electronically Commutated Motor)

- Grease Cup for kitchen-duty centrifugal exhaust fans, x1
 Box Dimensions 17-1/8 L X 5-1/16 W X 3-3/4 H (20 Gauge) (Includes Down Spout)
- Miami Dade Impact and Wind Load Certification +150 / -150 PSF - Miami Dade County x1
 Product Control Approved. Florida Building Code approval. Roof & Wall Mount Exhaust Curbs up to 20" high must be 20 gauge Aluminized. Roof & Wall Mount Exhaust Curbs above 20" high up to 42" high must be 18 Gauge Aluminized.
- Through Wall Curb Mount Installation Option. x1
- Wall Mount Construction for Direct Drive Fan. Through-Bolt mount motor for extra support in wall mount application. Vibration isolator mounts not used. x1
- Disconnect Switch Loose - Wire Is Extended 10' To Allow Remote Mounting Of The NEMA 3R Enclosure & Switch. Cord Fittings Are Installed In Switch Box. 10-32 Hardware and 7/8" Plug Are Installed In Apron Switch Mounting Holes. x1
- HINGE KIT - Heavy Duty Hinge kit with locking spring pin for exhaust fan roof curbs. Includes Hardware to attach hinge to curb and hinge to base. 10 GA Galvanized. x1

Note: Requires 16GA curb or 18GA curb with 16GA back plate - (9"x9" cut size).

- ECM Wiring Package and Manual or 0-10VDC Control for Exhaust EC motors. RTC Controller (No harness when ordered as a part). x1
- Curb CRB19.5X16E On Fan #1 Flat Curb x1

Fan Total Price: \$1,108.03

Fan #2 AH-DMUA14 - Supply Fan - Job #6117797

AH-DMUA14 Economy Make-Up Air Fan with a 14" wheel - Hub Up - Rotation CW. x1
 Supply Fan handles 639 CFM @ 0.300" wc ESP, Fan runs at 1075 RPM.
 Supply Motor: 0.166 HP, 1 Phs, 115 V, 60 Hz, 1.9 FLA, TEAO (Totally Enclosed Air Over)

- Wall Mount Bracket - 20.5" square x 2" for fans with 21" square base and with 16" centered square hole. x1

Fan Total Price: \$433.95

Electrical System #1 - Job #6117797

SC-111110MA 120V 1 Phase w/ control for 1 Exhaust Fan, 1 Supply Fan, Exhaust on in Fire, Lights out in Fire, Relay On/Off with Supply Fan, Fan(s) On/Off Thermostatically Controlled. Room temperature sensor shipped loose for field installation. Includes 1 Duct Thermostat kit. x1

- 18x18 Stainless Steel Box 6" deep. Includes latch x1
- PSP thermostat kit, includes 1x duct thermostat, quick seal, and j-box for monitoring of PSP discharge temperature. x1
- VERIZON CELLULAR KIT, WIRED ANTENNA AND VERIZON DATA FOR 1 YEARS. x1
- Digital Prewire Lighting Relay Kit. Includes hood lighting relay & terminal blocks. Allows for up to 1400W of lighting each. x1
- Thermistor CABLE - 18/2 AWG GREEN WHITE, plenum rated. USED for thermistor duct stat. Per Foot Price. x125

- CAT-5E CABLE - 50 Foot. UV rated.

x1

Electrical System #1 Total Price: \$1,181.99

CASLink Monitoring

CASLink Monitoring

x1

CASLink Monitoring Total Price: \$458.38

Subtotal: \$11,370.05

Fire System Hookup: \$3,200.00

Installation: \$18,000.00

Shipping: \$1,136.10

Tax: \$924.20

Total: USD \$34,630.35

TERMS

50% DEPOSIT

50% DUE AT COMPLETION

*

BY OTHERS

K SERIES FIRE EXTINGUISHER
HORN STROBE
ALL ELECTRICAL FIELD WIRING
ANY STRUCTURAL ALTERATIONS
ROOF FLASHING REPAIR
SCREENING OR EQUIPMENT RAILINGS ON ROOF (IF REQUIRED)
FIRE CHASE
FIRE PROOFING OF PENETRATIONS
WEATHER PROOFING OF LOUVER AND EQUIPMENT CURB
EQUIPMENT ACCESS
CONCRETE CUTTING
DISMANTLING OR REPLACEMENT OF EXISTING CEILING GRID OR SHEET ROCK
REMOVAL AND REPLACEMENT OF EXISTING OBSTRUCTIONS SUCH AS A/C DUCTS, PLUMBING LINES
AND ELECTRICAL CONDUITS IF REQUIRED BY OTHERS
DUMPSTER/TRASH RECEPTACLE FOR ANY AND ALL GARBAGE

SHIPPING

Freight includes one shipment only, delivered to the job site address listed on this proposal. Customer is responsible for freight charges on any items shipped early. This is an estimated freight charge and is subject to change based on current freight costs when the job is released for production.

Approval

The above prices, specifications, and conditions are satisfactory and are hereby accepted. You are authorized to perform the work specified. Receipt of the Advanced Hood Systems Terms & Conditions are hereby acknowledged and by signature hereto, we agree to said Terms & Conditions. Payment will be made in accordance with authorized agreement. Please note, proposal may be withdrawn by Advanced Hood Systems if not accepted within 30 days.

Authorized Signature

Date

Signature

Date

We accept MasterCard®, VISA® and American Express® cards for immediate credit approval and expedited order processing.



TERMS & CONDITIONS

Acceptance: This proposal is submitted for acceptance within 30 days from the date of proposal. Prices are firm after acceptance provided the Buyer releases the order for production within 90 days of placement-see paragraph "prices." Typographical and clerical errors in quotations, orders and acknowledgments are subject to correction.

Terms of Payment: Net thirty (30) days from date of our invoice, unless specified to the contrary and subject to the approval of the Company. A Service Charge of 1 1/2 % per month may be invoked and applied after the 30 day period until payment is received. Invoicing will be rendered when shipment has been made, unless otherwise indicated in quotation. The stated price is subject to any state, federal or local government regulatory ordinances or statutes governing interest rates and shall be construed and interpreted to allow the highest rate applicable and not more. In the event of a conflict between this rate and other law, the law shall prevail. In the event Advanced Hood Systems employs an attorney to enforce its rights and remedies under this agreement and/or to collect funds owing pursuant to this agreement, buyer agrees to pay a reasonable attorney's fee for Advanced Hood Systems attorney, plus all other reasonable expenses incurred by Advanced Hood Systems in enforcing its rights under this agreement.

Taxes: Unless specifically stated, we include no taxes of any kind in the sale price. Any taxes, if applicable and imposed by any present or future local, state or federal agency for any reason must be paid by the Buyer.

Shipments: All shipments are f.o.b. Factory or, if shipped from another location, f.o.b., point of shipment with charges either allowed, added to invoice, or collect as noted.

Claims: The responsibility of the company ceases upon delivery of material in good order to the carrier. As all goods are shipped at buyer's risk, any claims for damage or shortage or loss in transit must be filed by the buyer against the transportation company. (We will assist the Buyer in any reasonable way possible in the filing and collection for any claim for damages and/or losses while in transit.) Claims against factory shortages will not be considered unless made within 60 days after receipt of the goods.

Acceptance or Approval: Should the equipment on this proposal be purchased subject to acceptance or approval of another (such as Architect, Engineer, Owner, etc.), Advanced Hood Systems shall not be liable in any way should acceptance or approval not be granted. We cannot guarantee to meet or equal specifications written on behalf of another equipment manufacturer.

Warranties: Advanced Hood Systems extends to buyer the manufacturers warranty (a copy of which is available upon request). Manufacturer's warranty is in lieu of any warranties contained in any applicable project conditions, plans, or specifications unless specifically stated otherwise. Advanced Hood Systems makes no other warranties, express or implied, as to any matter whatsoever, including without limitation, the conditions of the equipment, its merchantability or fitness for a particular purpose.

Advanced Hood Systems shall not be liable for any damages by reason of failure of the equipment to operate or a faulty operation of this equipment. Advanced Hood Systems shall not be held responsible for any direct, incidental or consequential damages or liquidated damages or losses (including but not limited to loss of use, income, profit or production, or spoilage or increased cost of operation) resulting from the installation, operation or use of the equipment.

Limitation of Remedy: Advanced Hood Systems shall have no liability for any damage caused by negligence, accident, misuse, improper storage, improper installation, improper service, maintenance or operation. Advanced Hood Systems liability (whether under theories of warranty, negligence, strict liability or contract) is limited solely to repair or replacement of the equipment or its parts by Advanced Hood Systems or its duly authorized representative, or at Advanced Hood Systems option and in its sole discretion, refund of the purchase price, and the foregoing shall be the sole and exclusive remedy against Advanced Hood Systems. In no event shall Advanced Hood Systems liability with respect to the goods or their non-delivery exceed the purchase price paid by Buyer to Advanced Hood Systems. Buyer shall have no right to consequential or incidental damages or to any remedy not hereinbefore described. Any claim by Buyer against CaptiveAire Systems with respect to the goods is deemed waived by Buyer unless submitted to Advanced Hood in writing within ten (10) days of the date Buyer discovered or by reasonable inspection should have discovered, the basis for such claim.

Claims Resolution: All claims and disputes between Buyer and Advanced Hood Systems arising out of or relating to performance of any agreement or breach thereof involving this project shall be decided by binding arbitration in accordance with the construction Industry Arbitration rules of the American Arbitration Association (AAA) then existing. Notice of Demand for Arbitration shall be filed in writing by either party to this agreement with the other and with the regional office of the AAA in Miami, Florida. The procedural and substantive law of the State of Florida shall apply in and to all such arbitration proceedings. Both parties will have the right to conduct discovery in accordance with the Federal Rules of Civil Procedure and within reasonable time limitations to be imposed by the AAA or the arbitrators. Any award arising from such proceedings shall be final and binding upon the parties and enforceable in accordance with the Federal Arbitration Act.

Delays: Seller shall not be liable for failures or delays in making delivery hereunder when such failure or delay results from an act of God or the public enemy accident, explosion, fire, storm, earthquake, flood, drought, perils of the sea, strikes, lock-outs, labor troubles, riots, sabotage, embargo, wars (whether or not declared and whether or not the United States is involved), federal, state or municipal law, ordinance, rule, regulation, order license, priority, seizure requisition or allocation or other restrictions, failure or delay of transportation, shortage of or inability to obtain supplies, equipment, fuel or labor or any other circumstances of a similar or different nature beyond the reasonable control of the Seller.

Credit: If Buyer's credit, at the sole judgment of the Seller, is impaired at any time, Seller shall have the right to defer or cancel the contract.

Penalties: No penalty clause of any kind will be effective unless approved in writing by an officer of Advanced Hood Systems.

Cancellations: Should the contract be cancelled through no fault of Advanced Hood Systems, the Buyer is liable for reimbursement for any and all expenses incurred in connection with this transaction; and in accordance with law for any other losses incurred by Seller.

Prices: Unless otherwise notified, prices on orders will be held firm provided the order is released for production within 90 days of placement. (The date of placement being the date of the Buyer's order and the date of release being the date the official notice of release is received at the Seller's offices.) Order released after 90 days from date of customer's purchase order may be subject to escalation.

Title: The title to all material(s) and/or equipment and to any and all additions and accessories thereto and substitutions therefore, shall remain with Seller until the purchase price thereof is paid in full.