



5210 Maryland Way, Suite 200
Brentwood, TN 37027-5065
615.377.9773 Office
www.TMPartners.com

8131 Lakewood Main St., Suite 20
Lakewood Ranch, FL 34202
941.907.9711 Office


Firm Certification: #AA-P000404
Marc S. Rowland AR-0016769

Architecture
Interiors
Planning



SCOPE OF WORK LEGEND

	AREA OF MINOR RENOVATION (COSMETIC UPGRADES)*
	AREA OF MAJOR RENOVATION
	AREA OF MAJOR RENOVATION - SHELL
	AREA OF NEW CONSTRUCTION
	AREA OF NEW CONSTRUCTION - SHELL
	INDICATES PREFABRICATED MODULE. COORD. WITH PREFABRICATOR DWGS

* COSMETIC UPGRADES INCLUDE REPLACING
EXISTING CASEWORK WITH NEW CASEWORK,
INCLUDING NURSE STATIONS



OVERALL FOURTH FLOOR NOTED PLAN



10/26/2016 - DESIGN DEVELOPMENT - NOT ISSUED FOR CONSTRUCTION

BED TOWER EXPANSION & RENOVATION
NORTHWEST MEDICAL CENTER
MARGATE, FLORIDA


AHCA Client Code / File-Project Sub. Number: 23/100189-121-1
Owner Project Number: 30950010

REVISIONS

DR. BY	KW
CK. BY	RZ, ZP
PROJ. NO.	A05816
DATE	

**FOURTH FLOOR
OVERALL PROPOSED
PLAN**



A0.41



WALL LEGEND	
NEW CONSTRUCTION	
REFER TO THE G150 SERIES SHEETS FOR PARTITION TYPES AND DETAILS	
1A-1B	NON-RATED PARTITION
2A-2B	NON-RATED SOUND PARTITION
3A-3B	NON-RATED SMOKE TIGHT PARTITION
4A-4B	SMOKE BARRIER (1 HOUR FIRE RESISTANCE RATING REQUIRED)
5A-5B	1 HOUR FIRE BARRIER
6A-6B	1 HOUR FIRE AND SMOKE BARRIER
7A-7B	2 HOUR FIRE BARRIER
8A-8B	2 HOUR FIRE AND SMOKE BARRIER
9A-9B	1 HOUR SHAFT ENCLOSURE
10A-10B	2 HOUR SHAFT ENCLOSURE
11A-11B	1 HOUR RATED PLUMBING CHASE WALL
12A-12B	3 HOUR FIRE WALL
13A-13B	4 HOUR FIRE WALL
14A-14B	CMU WALL - REFER TO PLAN FOR RATING AND PARTITION TYPE FOR DETAIL
15A-15B	CONCRETE WALL - REFER TO PLAN FOR RATING
EXISTING CONSTRUCTION	
16A-16B	NON-RATED PARTITION
17A-17B	NON-RATED SOUND PARTITION
18A-18B	NON-RATED SMOKE TIGHT PARTITION
19A-19B	SMOKE BARRIER (1 HOUR FIRE RESISTANCE RATING REQUIRED)
20A-20B	1 HOUR FIRE BARRIER
21A-21B	1 HOUR FIRE AND SMOKE BARRIER
22A-22B	2 HOUR FIRE BARRIER
23A-23B	2 HOUR FIRE AND SMOKE BARRIER
24A-24B	1 HOUR SHAFT ENCLOSURE
25A-25B	2 HOUR SHAFT ENCLOSURE
26A-26B	3 HOUR FIRE WALL
27A-27B	4 HOUR FIRE WALL
28A-28B	CMU WALL - REFER TO PLAN FOR RATING AND PARTITION TYPE FOR DETAIL
29A-29B	CONCRETE WALL - REFER TO PLAN FOR RATING
30A-30B	WALL TO BE DEMOLISHED

KEY LEGEND	
CCT	CUBICLE CURTAIN TRACK
A000	DENOTES CASEWORK ELEVATION. REFER TO A800s
A	DENOTES WINDOW TYPE. REFER TO SHEET A410 FOR ELEVATIONS
VW-1	DENOTES VIEW WINDOW TYPE. REFER TO SHEET A575 FOR ELEVATIONS
CCT	CUBICLE CURTAIN TRACK
FE	FIRE EXTINGUISHER
FEC	FIRE EXTINGUISHER CABINET
~v~v~	LOW AIR RETURN EXHAUST - REFER TO MECHANICAL

NOTED PLAN GENERAL NOTES	
1	REFER TO SHEET G.10 FOR CODE REVIEW DATA.
2	ALL COLUMN FURR-OUTS TO BE HELD TIGHT TO COLUMNS, UNLESS OTHERWISE NOTED.



tm
p

TMPartners, PLLC

5210 Maryland Way, Suite 200
Brentwood, TN 37027-5065
615.377.9773 Office
www.TMPartners.com

8131 Lakewood Main St., Suite 202
Lakewood Ranch, FL 34202
941.907.9711 Office
Firm Certification: #AA-P000404
Marc S. Rowland AR-0016769

Architecture
Interiors
Planning

10/26/2016 DESIGN DEVELOPMENT - NOT ISSUED FOR CONSTRUCTION

10/26/2016 DESIGN DEVELOPMENT - NOT ISSUED FOR CONSTRUCTION

10/26/2016 DESIGN DEVELOPMENT - NOT ISSUED FOR CONSTRUCTION

CENTRAL ENERGY PLANT EXPANSION
NORTHWEST MEDICAL CENTER
MARGATE, FLORIDA





AHCA Client Code / File Project Sub. Number: 25100189-122-1 Owner Project Number: 30950010

REVISIONS

DR. BY	RR
CK. BY	RZ, RR
PROJ. NO.	A05816
DATE	

FLOOR PLANS

A1.10



1 "CJ" DENOTES CONTROL JOINT. REFER TO DETAIL X/X.XX.
2 "SJ" DENOTES EIFS SCORE JOINT. REFER TO DETAIL X/X.XX.
3 "EJ" DENOTES EXPANSION CONTROL JOINT. REFER TO DETAIL X/X.XX.
4 "AR" DENOTES AESTHETIC REVEAL. REFER TO DETAIL X/X.XX.
5 "S" DENOTES SPANDREL GLAZING.
6 "T" DENOTES TEMPERED GLAZING.

**Architecture
Interiors
Planning**

**CENTRAL ENERGY PLANT EXPANSION
NORTHWEST MEDICAL CENTER
MARGATE, FLORIDA**

AHCA Client Code / File-Project Sub. Number: 23/100189-122-1 Owner Project Number: 30950010

10/26/2016 DESIGN DEVELOPMENT - NOT ISSUED FOR CONSTRUCTION

[illegible]

A3.00

