Notes:

ROSS CONTRACTOR TO PROVIDE:

- ADEQUATE ACCESS BEHIND LOGO LETTERS AND CABINET FOR INSTALLATION AND MAINTENANCE, PER ARTICLE 600 OF THE N.E.C.
- FOUR (4) 20 AMP 120V ISOLATED SIGN CIRCUITS AND JUNCTION BOXES TO AREA BEHIND SIGN LETTERS CONNECTED TO THE ENERGY MANAGEMENT SYSTEM
- AT LEAST 1/2" THICK PLYWOOD BACKING BEHIND ALL E.I.F.S. WALL SYSTEM FOR SIGN AND BANNER SUPPORT

SIGN FASCIA TO BE FREE OF JOINTS & REYEALS, AND OF A LIGHT COLOR (MINIMUM 75% L.R.Y.) TO PROVIDE HIGH CONTRAST AND VISIBILITY FOR THE SIGN.

ALL COLORS ARE SUBJECT TO ROSS STORES, INC. REVIEW AND APPROVAL. COLOR APPEARANCE MAY BE ALTERED BY PRINTING, SEE APPROVED FINAL CONSTRUCTION DRAWINGS FOR COLOR SPECIFICATIONS.

IF ANY SIGNAGE PROPOSED IN THIS EXHIBIT IS ALTERED BY LOCAL GOVERNMENT AUTHORITIES, ROSS STORES INC. RESERVES THE RIGHT TO, AT NO COST, ADJUST ARCHITECTURAL FEATURES TO BEST ACCOMMODATE THE ALTERED SIGNAGE.

- A 34"H INDIVIDUAL "DD'S" PAN CHANNEL LOGO LETTERS:
 FACES: TUF-GLAS SG 21249-E1 PURPLE (21248-E1 TEAL FOR APOSTROPHE)
 RETURNS: 8"D ALUM. W/ WHITE FINISH
 TRIM CAP: 2" WHITE JEWELITE
 LETTER BACKS: ALUMINUM
 NEON: FOUR-TUBE 15MM EGL CL-71, U.L.
 MOUNTING: 3/8"-20 GALVANIZED THRU BOLTS
 PEG 0FF: 1/2" SPACERS
 DISCONNECT: ON FIRST "D" OF "DD'S" PER NEC 600
- B 20"H INDIVIDUAL "DISCOUNTS" PAN CHANNEL LOGO LETTERS:
 FACES: TUF-GLAS SG 21248-E1 TEAL
 RETURNS: 8"D ALUM. W/ WHITE FINISH
 TRIM CAP: 2" WHITE JEWELITE
 LETTER BACKS: ALUMINUM
 NEON: TWO-TUBE 15MM YOLTARC TURQUOISE, U.L.
 MOUNTING: 3/8"-20 GALVANIZED THRU BOLTS
 PEG OFF: 1/2" SPACERS
 DISCONNECT: ON "D" OF "DISCOUNTS" PER NEC 600
- 18"H X 20" W X 8"D 9INGLE-FACE INTERNALLYILLUMINATED CABINET 9IGN:
 2" RETAINERS PAINTED TO MATCH MAGENTA,
 RETURNS: 8"D ALUMINUM PAINTED
 MAGENTA TO MATCH PM9 #2415C
 MATTHEWS #MPO0875 GLOSSY
 FACE: TRANSLUCENT 9G WHITE LEXAN OR FLEX
 WITH 3M 3630-118 INTENSE MAGENTA VINYL
 OVERLAY AND 22"H COPY WEEDED AWAY,
 ILLUMINATION: DHO LAMPS AND BALLASTS, U.L.
 MOUNTING: 378"-20 GALVANIZED THRU BOLTS
 DISCONNECT: ON LEFT END OF CABINET PER NEC 600
- D 12"H X 48"W X 10"D DOUBLE-FACE INTERNALLY-ILLUMINATED UNDERCANOPY SIGN, U.L. SEE SHEET UC FOR DETAILS.
- E 16"H X 66"W X 3/4"D SINTRA DD'S LOGO WALL PLAQUES. ONE (1) REQUIRED AS SHOWN. SEE SHEET EL FOR DETAILS.



Notes:

ROSS CONTRACTOR TO PROVIDE:

- ADEQUATE ACCESS BEHIND LOGO LETTERS AND CABINET FOR INSTALLATION AND MAINTENANCE, PER ARTICLE 600 OF THE N.E.C.
- MAINTENANCE, PER ARTICLE 600 OF THE N.E.C.

 FOUR (4) 20 AMP 120Y ISOLATED SIGN CIRCUITS AND JUNCTION BOXES TO AREA
 BEHIND SIGN LETTERS CONNECTED TO THE ENERGY MANAGEMENT SYSTEM
- AT LEAST 1/2" THICK PLYWOOD BACKING BEHIND ALL E.I.F.S. WALL SYSTEM FOR SIGN AND BANNER SUPPORT


SIGN FASCIA TO BE FREE OF JOINTS & REYEALS, AND OF A LIGHT COLOR (MINIMUM 75% L.R.V.) TO PROVIDE HIGH CONTRAST AND VISIBILITY FOR THE SIGN.

ALL COLORS ARE SUBJECT TO ROSS STORES, INC. REVIEW AND APPROVAL. COLOR APPEARANCE MAY BE ALTERED BY PRINTING, SEE APPROVED FINAL CONSTRUCTION DRAWINGS FOR COLOR SPECIFICATIONS.

IF ANY SIGNAGE PROPOSED IN THIS EXHIBIT IS ALTERED BY LOCAL GOVERNMENT AUTHORITIES, ROSS STORES INC. RESERVES THE RIGHT TO, AT NO COST, ADJUST ARCHITECTURAL FEATURES TO BEST ACCOMMODATE THE ALTERED SIGNAGE.

- A 72"H INDIVIDUAL "DD'S" PAN CHANNEL LOGO LETTERS:
 FACES: TUF-GLAS 5G 21249-E1 PURPLE (21248-E1 TEAL FOR APOSTROPHE)
 RETURNS: 8"D ALUM. W WHITE FINISH
 TRIM CAP: 2" WHITE JEWELITE
 LETTER BACKS: ALUMINUM
 NEON: FOUR-TUBE 15MM EGL CL-71, U.L.
 MOUNTING: 3/8"-20 GALVANIZED THRU BOLTS
 PEG OFF: 1/2" SPACERS
 DISCONNECT: ON FIRST "D" OF "DD'S" PER NEC 600
- B 36"H INDIVIDUAL "DISCOUNTS" PAN CHANNEL LOGO LETTERS:
 FACES: TUF-GLAS SG 21248-E1 TEAL
 RETURNS: 8"D ALUM. W/ WHITE FINISH
 TRIM CAP: 2" WHITE JEWELITE
 LETTER BACKS: ALUMINUM
 NEON: TWO-TUBE 15MM YOLTARC TURQUOISE, U.L.
 MOUNTING: 3/8"-20 GALVANIZED THRU BOLTS
 PEG OFF: 1/2" SPACERS
 DISCONNECT ON "D" OF "DISCOUNTS" PER NEC 600
- 32"H X 40" W X 8"D SINGLE-FACE INTERNALLYILLUMINATED CABINET SIGN:
 2" RETAINERS PAINTED TO MATCH MAGENTA,
 RETURNS: 8"D ALUMINUM PAINTED
 MAGENTA TO MATCH PMS #2415C
 MATTHEWS #MP00875 GLOSSY
 FACE: TRANSLUCENT SG WHITE LEXAN OR FLEX
 WITH 3M 3630-118 INTENSE MAGENTA VINYL
 OVERLAY AND 22"H COPY WEEDED AWAY.
 ILLUMINATION: DHO LAMPS AND BALLASTS, U.L.
 MOUNTING: 3/8"-20 GALYANIZED THRU BOLTS
 DISCONNECT: ON LEFT END OF CABINET PER NEC 600
- D 12"H X 48"W X 10"D DOUBLE-FACE INTERNALLY-ILLUMINATED UNDERCANOPY SIGN, U.L. SEE SHEET UC FOR DETAILS.
- (E) 16"H X 66"W X 3/4"D SINTRA DD'S LOGO WALL PLAQUES. ONE (1) REQUIRED AS SHOWN. SEE SHEET EL FOR DETAILS.





TOTAL BUILDING AREA 42' X 120' 5,040 SQ/FT WE ARE USING TOTAL 440 SQ/FT LESS THAN 10% OF THE AREA (10% COMMON REQUIREMENT FOR MANY CITY SIGN SIZE)



