



City of Margate
DEVELOPMENT REVIEW COMMITTEE
Application for Outdoor Event

5790 Margate Blvd., Margate, FL 33063
954-972-6454

Submittal Date (official use):

RECEIVED
APR 25 2016
BY: _____

Project Name ABC - 4th of July Sparkler Tent		DRC # 05-16-06
Address Atlantic Baptist Church		
Acreage	Folio Number	Paid: mla
Existing Use Church Property		
Legal Description		


☐ Check this box if you would like to rent the City's portable stage for your promotional event.

Petitioners interested in renting the City's portable stage for their promotional event shall be charged \$50/hr with a minimum rental of four hours for the use of the stage, plus labor costs of \$75/hr. Rentals shall be subject to availability. Official rental forms and agreements are available from, and are to be filed with, the Parks and Recreation Department.

Agent/Contact Name Patricia Taime for Fireworks Lady & Co., LLC	
Address 546 WoodGate Circle, Weston, FL 33326	
Phone Number 754.422.2861	Fax Number
Email Address patricia@theFireworksLady.com	

Property Owner Name Atlantic Baptist Church	
Address 4850 W. Atlantic Blvd, Margate, FL 33063	
Phone Number 954.974.8900	Fax Number
Email Address abccr@netzero.net	

OWNER'S AFFIDAVIT: I certify that I am the owner of record for the above referenced property and give authorization to file this petition. I understand that I, or a representative on my behalf, must be present at the DRC meeting. I further understand that my petition will be subject to the regulations of Chapter 16 ½ of the Margate City Code.


Property Owner's Signature

4/25/16
Date

April 25, 2016.

To whom it may concern:

Please accept this as a petitioner's request for a Sparkler Event Tent for 4th of July. Our actual Sales Days are June 29th - July 4th, operating from 10am - 10pm. Our set-up will be June 20th - and tear down by July 7th, 2016.

We will provide Portable Toilet for Restroom accessibility.

Thank you,

Patricia Taime

A stylized, cursive handwritten signature consisting of a large, loopy 'P' followed by a series of overlapping loops and a final flourish.



www.thefireworkslady.com

April 9, 2016

Atlantic Baptist Church
4850 W. Atlantic Blvd
Margate, FL 33063

Dear Kim:

Congratulations to you and your Team at Atlantic Baptist Church with the decision to move forward with the 4th of July Sparkler Sales as a Fundraiser for the Church. We look forward to assisting you in making this a successful and fun experience.

We will have a one on one Meeting for your Management Staff and would like to organize that for the week of April 18th or April 25th. This is just a casual Meeting for the personnel responsible on behalf of the Church organizing the Fundraiser, working with the volunteers, handling the Accounting of the Money, organizing the Event, etc.

At this meeting we will execute the Agreement, go through the Operator's Manual, and address any questions your group may have. This Meeting will allow you to get prepared for the Season with your Staff and Volunteers.

One of the items we need to address before that meeting, is the processing of the Permits. We have already ordered our Engineering Drawing, Liability Insurance and State License. We will need a letter from the Church, signed by the authorized person allowing us to obtain the permits for this Event. I have attached a sample letter, if this can be placed on Church Stationary and executed by the appropriate person, I will need this as soon as possible.

Once again, we look forward to working together to accomplish mutual goals.

Best regards,

Patricia Taime
FIREWORKS LADY & CO., LLC

CITY OF MARGATE



HOLD-HARMLESS AGREEMENT

RE: OUTDOOR EVENT

Event Name/Description: ABC - 4th of July Sparkler Tent

Event Location: Atlantic Baptist Church - 4850 W. Atlantic Blvd., Margate, FL 33063

Date(s) Of Event: June 29th - July 4th

Property Legal Description:

Pursuant to the requirements set forth in Section 3.24, of Article III, of Appendix A, of the Code of the City of Margate, Florida, the petitioner(s) appearing before the Development Review Committee for the promotional outdoor event described above do(es) hereby agree to indemnify, defend, and hold the City of Margate harmless for any claim or suit arising out of the planning, organizing, or operation of this promotional outdoor event.

Petitioner's Signature: 

Petitioner's Printed Name: Patricia Taime

Petitioner's Official Title: Managing Director

Organization/Corporation: Fireworks Lady & Co., LLC

Subscribed and sworn to before me this 25 day of April
20 16.


Signature of Notary



Notary's Seal

____ Personally known to me.

☒ Produced identification: FLDL



Calling people to live in Jesus, Coaching people to live like Jesus, Challenging people to live for Jesus

4850 W Atlantic Blvd. Margate FL 33063-5354
Phone 954-974-8900 Email abccr@netzero.net
www.atlanticbc.org

Pastor Carlos Lugo

April 19, 2016

ATTENTION: CITY OF MARGATE BUILDING & PERMITTING DEPARTMENT

RE: **Fireworks Lady & Co., LLC**
Atlantic Baptist Church 4850 W. Atlantic Blvd., Margate FL 33063 Sparkler Tent

To Whom It May Concern:

This letter serves as notice that permission is granted to Fireworks Lady & Co., LLC or their authorized agent, to secure the necessary permits for the above referenced Seasonal Sales for the purpose of State Approved Fireworks Sales at the above referenced parcel address.

Should you have any questions, please contact me at 954-914-2695

Very truly yours,

Harry Miller
Building and Grounds Chairman
Trustee of Atlantic Baptist Church

STATE OF FLORIDA
COUNTY OF Broward

The foregoing was acknowledged before me this 20 day of April, 2016, by
Harry Miller
who is personally known to me.

SEAL



EDWARD J. MAHONEY
MY COMMISSION # FF 014555
EXPIRES: May 5, 2017
Bonded Thru Budget Notary Services

NOTARY PUBLIC

Jeff Atwater
CHIEF FINANCIAL OFFICER

Julius Halas
DIVISION DIRECTOR



Casia Sinco
BUREAU CHIEF

Keith McCarthy
SAFETY PROGRAM MANAGER

FLORIDA DEPARTMENT OF FINANCIAL SERVICES

DIVISION OF STATE FIRE MARSHAL

200 East Gaines Street - Tallahassee, Florida 32399-0342

Tel. 850-413-3644 Fax. 850-410-2467

CERTIFICATE OF REGISTRATION

RETAILER

OFFICIAL COPY

THIS CERTIFIES THAT: FIREWORKS LADY & CO., LLC

546 Woodgate Cir.

Weston FL 33326

Has registered pursuant to the provisions of Florida Statutes to engage in the business of selling sparklers to consumers at retail at the following fixed place of business:

4850 W. Atlantic Blvd
Margate Fl 33063 Broward

Issue Date: 04/12/2016
Type: 07
Class: 64
County: Broward
License/Permit #: SR16-000230
Expiration Date: 01/31/2017



A handwritten signature in dark ink, appearing to read "Jeff Atwater".

Chief Financial Officer



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
4/11/2016

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Britton-Gallagher and Associates, Inc. One Cleveland Center, Floor 30 1375 East 9th Street Cleveland OH 44114		CONTACT NAME: PHONE (A/C, No, Ext): 216-658-7100 FAX (A/C, No): 216-658-7101 E-MAIL ADDRESS: info@brittongallagher.com	
INSURED Ingram Enterprises, Inc. dba Fireworks Over America 3010 North Ingram Drive Springfield MO 65803		INSURER(S) AFFORDING COVERAGE INSURER A: Everest Indemnity Insurance Co. INSURER B: INSURER C: INSURER D: INSURER E: INSURER F:	
18166		NAIC # 10851	

COVERAGES

CERTIFICATE NUMBER: 1005699328

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSR	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PROJECT <input type="checkbox"/> LOC			SI8GL00655-151	12/1/2015	12/1/2016	EACH OCCURRENCE \$1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$1,000,000 GENERAL AGGREGATE \$2,000,000 PRODUCTS - COMP/OP AGG \$2,000,000 \$
	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> NON-OWNED AUTOS						COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
	UMBRELLA LIAB <input type="checkbox"/> OCCUR EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> DED <input type="checkbox"/> RETENTION \$						EACH OCCURRENCE \$ AGGREGATE \$ \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below Y/N <input type="checkbox"/> N/A						WC STATUTORY LIMITS OTH-ER E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

Additional Insured extension of coverage is provided by above referenced General Liability policy where required by written agreement.

City of Margate; 5790 Margate Blvd., Margate, FL 33063
Atlantic Baptist Church; 4850 W. Atlantic Blvd., Margate, FL 33063
LOCATION: ATLANTIC BAPTIST CHURCH; 4850 W. ATLANTIC BLVD., MARGATE, FL 33063


CERTIFICATE HOLDER

CANCELLATION

Fireworks Lady & Co., LLC 546 WoodGate Circle Weston FL 33326	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE

© 1988-2010 ACORD CORPORATION. All rights reserved.

Google Maps



Imagery ©2016 DigitalGlobe, U.S. Geological Survey, Map data ©2016 Google 100 ft

Google Maps


EVENT
LOCATION



Patricia Taime
754.422.2861

TENT PLACEMENT WORKSHEET

CITY OF MARGATE
ADDRESS 4850 W. Atlantic Blvd
DESCRIPTION OR STORE NAME Atlantic Baptist Church
TENT SIZE 30' x 50'
TYPE OF EVENT 4th of July Sparkler Tent




SPECIAL INSTRUCTIONS: This Drawing is for layout purposes only, not scaled to size.
June 29th – July 4th 10am – 10pm

Signature _____ Date _____

30' x 50' Frame Tent
ATLANTIC BAPTIST

FireWorks Lady & Co.
Sparkler /Fireworks Tent




LEGEND

- Butt Can
- No Smoking Signs
- Fire Extinguisher
- Water Canisters

5 HISA 40 ABC
FIRE BUCKEYE EQUIPMENT

2 1/2 GALLON WATER
FIRE EXTINGUISHER
FIRE BUCKEYE EQUIPMENT



Shackelford ENGINEERING, INC.

Structural Engineers & Planners CA 29483

9719 South Dixie Hwy, Pinecrest, FL 33156

Telephone: 305-271-8040

April 14, 2016

City of Margate
Building Department
Structural Review Section

RE: Temporary Tents
Client Name: Fireworks Lady & Co.
Event Date: July 2016
Event Address: 4850 W. Atlantic Blvd.
Margate, FL

To Whom It May Concern,

As a part of the attached Wind Load Calculations for the above referenced Temporary Tents(s), this letter shall as my certification that said structure is in compliance with the provisions of 2014 Florida Building Code, Chapter 31 NFPA 102, Chapter 8.

Based on these calculations I hereby certify that the supporting guys, stays and stakes for the above referenced tent will remain "in-place" for design pressures based on a basic wind speed of 105 mph, 3-second wind gusts.

For precautionary measures, in the event that wind speeds are found or anticipated to be approaching "75 MPH", the Contractor hereby agrees to remove the tent fabric from the tent frame and safely secure same.


I hereby certify the capacity of this design as meeting or exceeding criteria set forth in the **2014 Florida Building Code, Chapter 31, Section 3105.4.2.1 and NFPA 102, Chapter 8 relating to Temporary Tents.**

If you have any questions, please feel free to call me at 305-609-3652.

Respectfully,

Thomas Moe P.E. 63863

**Prior to the event installer shall notify Engineer in writing when tents are erect, anchored down and ready for inspection.*




Shackelford ENGINEERING, INC.

Structural Engineers & Planners CA 29483

9719 South Dixie Hwy, Pinecrest, FL 33156

Telephone: 305-271-8040

30 ft. x 50 ft. Temporary Tent Wind Uplift Calculation



Wind Uplift Calculation:

Tent Size: 30 ft. x 50 ft. (Bays @ 10 ft. o.c.)

Anchoring Strata Grass

Stakes @ 10 ft. o.c. Sides, 15 ft. o.c. Ends

Uplift Pressure = 13.8 psf (LRFD)

Uplift Design Pressure = $13.8 \text{ psf} / 0.9 = 15.33$ (Use 20 psf – Conservative)

Sides

Contributing Area: 15 ft. x 10 ft. = 150 s.f.

Uplift @ Design Pressure 3,000 lbs.

Use 2 ea. 1 1/4" x 48" Steel Stake(s): Capacity = (2) 2,770 = 5,540 lbs. O.K.

Corners and Ends

Contributing Area: 30 ft. x 5 ft. = 150 s.f.


Uplift @ Design Pressure 3,000 lbs.

Total no. of Attachments: 3 ea.

Uplift per Attachment: 1,000 lbs.

Use 1 ea. 1 1/4" x 48" Steel Stake(s): Capacity = 2,770 lbs. O.K.

Thomas Moe P.E. 63863



Shackelford ENGINEERING, INC.

Structural Engineers & Planners CA 29483

9719 South Dixie Hwy, Pinecrest, FL 33156

Telephone: 305-271-8040

April 14, 2016

City of Margate
Building Department
Structural Review Section

RE: Temporary Tents
Client Name: Fireworks Lady & Co.
Event Date: July 2016
Event Address: 4850 W. Atlantic Blvd.
Margate, FL

GRASS

Engineering Certification

To Whom It May Concern,

As part of the permit package for the structural approval of the above referenced tent with regard to tent stake withdrawal capacities, I submit for your review the following;

1. **Sod & Sandy Soil:** Withdrawal capacities taken from site specific test performed by Allstate Engineering & Testing Consultants, Inc. dated 2/9/12 (attached)

I hereby certify the stake withdrawal capacity, as stated in the attached stake calculation, as being in excess of **2,770 lbs. per stake.**

I hereby certify the capacity of this design as meeting or exceeding criteria set forth in the **2014 Florida Building Code, Chapter 31, Section 3105.4.2.1** and **NFPA 102, Chapter 8** relating to Temporary Tents.

If you have any questions, please feel free to call me at 305-609-3652

Respectfully,

Thomas Moe P.E. 63863

February 9th, 2012

Shackelford Engineering Inc,
Civil/Structural Engineers CA 24483
7810 SW 66TH Street
Miami FL 33143

Attn: Brandon W. Shackelford.

Re: Vertical Pull Test on 1.25 dia x 48" Long Soil Ground Anchors @ 5530SW 88 Street Miami FL

Dear Shackelford,

Pursuant to your request, All State Engineering and Testing Consultants, Inc (ASETC) Vertical Pull Test on 48" Long Soil Ground Anchors on February 9th, 2012 at the above referenced project.

The purpose of Performing vertical (UPWARD) pull test on ground anchor that was 48" long, 1.25" rod diameter, to determine the anchors meet the minimum ultimate holding strength of 2,770lbf, with no more than two inches (1 1/4") of upward movement of deflection.

The MOBILE MODULAR was installed the anchors on the ground for the test. To conduct the upward pull tests the uplift Resistance fixture using a Com-Ten Industries Pull Tester. Model Number # URF, and ENERPAC Dial # 42515 was used to apply the load and pull in the upward direction to record the load 0-10,000 lbs. The anchor was pre-loaded to one thousand lbs. and released. The reading were obtained as the loads was applied in five hundred (500) lbs increments until three (3000) thousand lbs was reached.

Based on the test soil anchor pulled was found to meet the minimum 2,770 lbf capacity. With deflection of less than two (1 1/4"), upward.

The test results presented here reflect the condition of the anchor pulled at the time of the test.

We appreciate the opportunity to have been of service to your company. Should you have any questions or comments, please feel free to contact our office.

Sincerely yours,

Vaseem Quadri
2/9/12

Vaseem Quadri, P.E. #51481
Special Inspector # 1154
ALL STATE ENGINEERING AND
TESTING CONSULTANTS, INC

WQ.SS.Shackelford Engineering

Inspector: Shafqat Sindhu

Shafqat Sindhu
2/9/12

MECAWind Version 2.1.0.7 per ASCE 7-10

Developed by MECA Enterprises, Inc. Copyright 2016 www.mecaenterprises.com

Date	: 4/14/2016	Project No.	: 10' - 40' Tents
Company Name	: Shackelford Engineering	Designed By	: Tom Moe PE 63863
Address	: 9719 South Dixie Hwy	Description	: Temporary Tents
City	: Pinecrest	Customer Name	:
State	: FL	Proj Location	:
File Location	: C:\Program Files (x86)\MECAWind\Tents\20ft.wnd		

Directional Procedure Open Building (Ch 27 Part 1)

All pressures shown are based upon STRENGTH Design, with a Load Factor of 1

Basic Wind Speed(V)	= 105.00 mph	Exposure Category	= C
Structural Category	= II	Flexible Structure	= No
Natural Frequency	= N/A	Kd Directional Factor	= 0.85
Importance Factor	= 1.00	Zg	= 900.00 ft
Alpha	= 9.50	Bt	= 1.00
At	= 0.11	Bm	= 0.65
Am	= 0.15	l	= 500.00 ft
Cc	= 0.20	Zmin	= 15.00 ft
Epsilon	= 0.20	Slope of Roof(Theta)	= 22.62 Deg
Slope of Roof	= 5 : 12	D: Roof Length along Ridge	= 50.00
L: Roof Hor. Width	= 30.00 ft		
Ht: Mean Roof Ht	= 15.00 ft	Type of Roof	= Pitched

Gust Factor Category I Rigid Structures - Simplified Method

Gust1: For Rigid Structures (Nat. Freq.>1 Hz) use 0.85 = 0.85


Gust Factor Category II Rigid Structures - Complete Analysis

Zm:	$0.6 \cdot H_t$	= 15.00 ft
lzm:	$C_c \cdot (33/Z_m)^{0.167}$	= 0.23
Lzm:	$l \cdot (Z_m/33)^{\text{Epsilon}}$	= 427.06 ft
Q:	$(1 / (1 + 0.63 \cdot ((B + H_t) / L_{zm})^{0.63}))^{0.5}$	= 0.92
Gust2:	$0.925 \cdot ((1 + 1.7 \cdot l_{zm} \cdot 3.4 \cdot Q) / (1 + 1.7 \cdot 3.4 \cdot l_{zm}))$	= 0.88

Gust Factor Summary

Not a Flexible Structure use the Lessor of Gust1 or Gust2 = 0.85

Figure 6-18B Open Building-Pitched Roof



Tom Moe
4/14/16

Gamma = 0 degrees, Clear Wind Flow				
Load Case	Cnw	Cnl	Windward Wind Pres. psf	Leeward Wind Pres. psf
A	1.100	0.100	19.041	1.731
B	-0.100	-0.800	-1.731	-13.848

Gamma = 180 degrees, Clear Wind Flow				
Load Case	Cnw	Cnl	Windward Wind Pres. psf	Leeward Wind Pres. psf
A	1.100	0.100	19.041	1.731
B	-0.100	-0.800	-1.731	-13.848

Notes: 1) Cnw- Net Pressures (contributions from top and bottom surfaces for windward roof surfaces.

Notes: 2) Cnl- Net Pressures (contributions from top and bottom surfaces) for leeward roof surfaces.


Gamma = 90 degrees, Clear Wind Flow				
Length Along Ridge of Roof	Roof Angle (Theta)	Load Case	Cn psf	Wind Pressure Along Ridge psf
<=15.0	Theta<=45 deg	A	-0.80	-13.848
		B	0.80	13.848
>15.0 & <=2*15.0	Theta<=45 deg	A	-0.60	-10.386
		B	0.50	8.655
>2*15	Theta<=45 deg	A	-0.30	-5.193
		B	0.30	5.193

Notes: 1) Cn- Net Pressures (contributions from top and bottom surfaces).

Notes: 2) Plus and minus signs signify pressures acting towards and away from the top roof surface, respectively.

[Signature]
4/14/16

PolyPro Rope



Polypropylene rope has a balanced construction, medium lay, good strength, moderate stretch, lightweight, buoyant, and has excellent hand and knot ability.

Size Of Rope		Tensile Strength	Lbs. Per 600'
Diameter	Circumference		
3/16"	5/8"	800 lbs	4
1/4"	3/4"	1,250 lbs	7
5/16"	1"	1,900 lbs	11
3/8"	1 1/8"	2,700 lbs	17
7/16"	1 1/4"	3,500 lbs	23
1/2"	1 1/2"	4,200 lbs	28
9/16"	1 3/4"	5,100 lbs	37
5/8"	2"	6,200 lbs	45
3/4"	2 1/4"	8,500 lbs	64
7/8"	2 3/4"	11,500 lbs	90
1"	3"	14,000 lbs	108

Poly Rope Specs - Tents

Note: All rope to be flame proof

Certificate of Flame Resistance

REGISTERED
APPLICATION
CONCERN No.

F-12110

ISSUED BY

GLEN RAVEN TECHNICAL FABRICS
1831 NORTH PARK AVENUE
GLEN RAVEN NC 27217-1100

336-227-6211

This is to certify that the materials described on the reverse side
retardant treated (or are inherently nonflammable).

FOR TRI VANTAGE, LLC AT 2937 WEST 25th STREETCITY CLEVELAND STATE OHIO 44113

Certification is hereby made that: (Check "a" or "b")

- ☐ (a) The articles described at the bottom of this Certificate have been treated with a flame-retardant chemical approved and registered by the State Fire Marshal and that the application of said chemical was done in conformance with the law of the State of California and the Rules and Regulations of the State Fire Marshal.

Name of chemical used _____ Chem. Reg. No. _____

Method of application _____

- ☒ (b) The articles described at the bottom hereof are made from a flame-resistant fabric or material registered and approved by the State Fire Marshal for such use.

Trade name of flame-resistant fabric or material used BIGTOP / TENTTOP Reg. No. F-12110The flame Retardant Process Used WILL NOT Be Removed By Washing
(will or will not)GLEN RAVEN TECHNICAL FAB.

Name of Production Superintendent

By HAROLD W. HILL JR. GENERAL MANAGER

Title

We hereby certify this to be a true copy of the original "CERTIFICATE OF FLAME RESISTANCE" issued to us,
"original copy" of which has been filed with the California State Fire Marshal.

TRI VANTAGE, LLC

By Albert S. [Signature]

Control/lot # _____

Quantity 130.500 YDCustomer order # JOSEDescription BIG TOP 61" WHITE OPAQUE 300
100YD/ROLLTri Vantage, LLC Invoice # 39547660Product Code 969300