CITY OF MARGATE



APPLICATION FOR REZONING PETITION

| Petitioner | | | (official use) | | |
|-------------------------------------|-------------------------|-----------------------------------|--|--|--|
| r editioner | | 16 | PZ# | | |
| Richard Ricca | RDI | | 1Lπ | | |
| Project Name | | 7 | (1) | | |
| RMG-REZONE 451-461-471 Banks Rd | | | | | |
| Address | . 0. /. | | 2 | | |
| 451-461-471 13A | uks Kd. MARG | SAIR FL. | 59065 | | |
| Address | Folio Number | | | | |
| Existing Zoning | | Requested Zoning | | | |
| R-3 | - | CF | | | |
| Legal Description | | | • | | |
| | | | | | |
| | | | | | |
| | | | I I | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Justification for requested comings | | Alternative control of the second | | | |
| Justification for requested zoning: | | | | | |
| Expansion of FRI | Inustralian lance | FACILIZE | The- Capma phone | | |
| FXHITION OF VEL | IOWSHIP KIVING | IN GUITTE> | The de diesel mode | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| NOTE: Eleven (11) copies of | supporting data/plans m | nust be submitted | d as well. Fee is \$250.00. Petitioner | | |
| will also be responsible for co | | | | | |
| / . / / | | | | | |
| Mude Mearn | | RMI-K | EAL ESTATE HOLDIEN : ILC | | |
| Signature of Petitioner | | Company N | REAL ESTATE HOLDING ILC | | |
| 9 | | - IJ | | | |
| | | Ma | PH Post INY. | | |
| | | Address | eth Port N.Y. | | |
| | | Acti | - 977-0465 | | |
| | | | | | |
| | | Phone Num | iber. | | |
| | | Fan Maria | | | |
| | | Fax Numbe | r | | |



PUBLIC HEARING SIGN REMOVAL BOND AGREEMENT In accordance with Ordinance #1500.485

| I, KiCHARD RICCARDI | , petitioner of record and |
|--|--|
| on behalf of the property owner, hereby agree that the subject p | ublic hearing sign shall be removed |
| within two (2) business days following a final determination by | the governing body. Further, it is |
| understood that by complying with this section, the \$150 cash b | ond will be returned to the petitioner of |
| record. | |
| | |
| If said public hearing sign is not removed in two (2) business da | ays, I hereby authorize the administration |
| of the City of Margate to remove said sign, billing the costs of t | he removal of the sign to the owner of |
| the property. | |
| | |
| I understand that the \$150 (one hundred fifty dollar) cash bond | shall be forfeited and applied against the |
| cost of removal to the City of Margate if said public hearing sig | n is not removed in two (2) business |
| days. | |
| | |
| | OFFICE USE ONLY |
| RMG Real Estage Holding's LLC | OFFICE USE ONLY Date of Decision: |
| Business Name | Tabled to date certain? |
| | Two Business Days (after decision) |
| Address | COMPLIED? Y N |
| Whend / peearle | If YES, initiate check request to Finance (603-0000-220.18-00) |
| Signature | If NO, inform Finance to deposit Bond (001-0000- |
| 1-26-14 | 369.90-01) |
| Date | |

451 Banks Road

SURVEY OF LOT 9, BLOCK 1, OF LAKEWOOD GARDENS, ACCORDING TO THE PLAT THEREOF AS RECORDED IN PLAT BOOK 78, PAGE 2, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA

461 Banks Road

SURVEY OF LOT 8, BLOCK 1, OF LAKEWOOD GARDENS, ACCORDING TO THE PLAT THEREOF AS RECORDED IN PLAT BOOK 78, PAGE 2, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA

471 Banks Road

LOT 7, LESS THE SOUTHERN 64 FEET, BLOCK 1, LAKEWOOD GARDENS SUBDIVISION, AS RECORDED IN PLAT BOOK 78, PAGE 2 OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA

5582 N.W. 7TH STREET, SUITE 202 MIAMI, FL 33126 TELEPHONE: (305) 264-2660 FAX: (305) 264-0229

DRAWN BY: A A

Nova Surveyors, Inc.

LAND SURVEYORS

| SURVEY | NO | 7-0005314-2 |
|--------|----|-------------|
| | | |

SHEET NO OF


SURVEY OF LOT 9, BLOCK 1, OF LAKEWOOD GARDENS, ACCORDING TO THE PLAT THEREOF AS RECORDED IN PLAT BOOK 78, PAGE 2, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA.

PROPERTY ADDRESS: 451 BANKS RD, MARGATE, FL 33063

RMG REAL ESTATE HOLDINGS, LLC

LOCATION SKETCH

Scale 1" = NT.S.



RAD = RADIUS OF RADIAL

RAD = RADIUS OF RADIAL
RGE = RANGE
R.P. = RADIUS POINT
R.O.E. = ROOF OVERHANG
EASEMENT
R/W = RIGHT-OF-WAY

SWK = SIDEWALK

T = FANGENT

TWP = TOWNSHIP

U.E. = UTILITY EASEMENT

U.P. = UTILITY POLE

W.M. = WATER METER W.R. = WOOD ROOF W.S. = WOOD SHED

= MONUMENT LINE

Z = ANGLE △ = CENTRAL ANGLE E = CENTER LINE

ABBREVIATION AND MEANING

A = ARC
AC = AIR CONDITIONER PAD
AC = ANCHOR EASEMENT
AR = ALUMINIUM ROOF
AS = ALUMINIUM SHED
ASPH = ASPHALT
B C = BLOCK CORNER
B C R = BROWARD COUNTY RECORDS
B M = BENCH MARK
B O.B = BASIS OF BEARINGS
C = CALCULATED
C B = CATCH BASIN
C.B W = CONGRETE BLOCK WALL
CH = CHORD
CH B = CHORD BEARING
C C = CALCULATED
C = CALCU A = ARC

C.L.F. = CHAIN LINK FENCE
C.M.E. = CANAL MAINTENANCE
EASEMENTS
CONC. = CONCRETE
C.P. = CONCRETE PORCH
C.S. = CONCRETE SLAB
D.E. = DRAINAGE EASEMENT
D.M.E. = DRAINAGE MAINTENANCE
EASEMENTS
DRIVE = DRIVEWAY
ENCR. = ENCROACHMENT
E.T.P. = ELECTRIC TRANSFORMER PAD
E.F.E. = FINISHED FLOOR ELEVATION
F.H. = FIRE HYDRANT
F.H. = FIRE HYDRANT

F.H. = FIRE HYDRANT

F.I.P. = FOUND IRON PIPE F.I.R. = FOUND IRON ROD F.N. = FOUND NAIL F.N.D. = FOUND NAIL & DISK

FNIP. = FEDERAL NATIONAL INSURANCE

FNIP. = FEDERAL NATIONAL INSURANCE PROGRAM
IN &EG. = INGRESS AND EGRESS EASEMENT
L.F.E. = LOWEST FLOOR ELEVATION
L.M.E. = LAKE MAINTENANCE EASEMENT
L.P. = LIGHT POLE
M. = MEASURED DISTANCE
MH. = MANHOLE
N A.P. = NOT A PART OF
NGVD = NATIONAL GEODETIC VERTICAL
DATUM
N.T.S. = NOT TO SCALE

N.T.S. = NOT TO SCALE

N T.S. - NOT TO SCALE
O.H.L. = OVERHEAD UTILITY LINES
O.R.B. = OFFICIAL RECORD BOOK
O/S. = OFFISET
OVH. = OVERHANG
P.B. = PLAT BOOK
P.C. = POINT OF CURVE
P.C.C. = POINT OF COMPOUND CURVE
PL. = PLANTER
P.L.S. = PROFESSIONAL LAND
SURVEYOR

P.L.S. = PROFESSIONAL LAND SURVEYOR P.O.B. = POINT OF BEGINNING P.O.C. = POINT OF COMMENCEMENT P.P. = POWER POLE P.P.S. = POOL PUMP SLAB P.C. = POINT OF REVERSE CURVE PRM = PERMANENT REFERENCE MONUMENT P.T. = POINT OF TANGENCY PVMT = PAVEMENT PWY = PARKWAY R. = RECORD DISTANCE

LEGEND TYPICAL

--OH- OVERHEAD UTILITY LINES

ZZZZ CB.S = WALL (CBW)

-0-0- IF = IRON FENCE

> = EXISTING ELEVATIONS × 0.00

SURVEYOR'S NOTES

SURVEYOR'S NOTES

I) IF SHOWN, BEARINGS ARE REFERRED TO AN ASSUMED MERIDIAN. BY SAID PLAT IN THE DESCRIPTION OF THE PROPERTY IF NOT. THEN BEARINGS ARE REFERRED TO COUNTY. TOWNSHIP MAPS.
21 THIS IS A SPECIFIC PURPOSE SURVEY.
3) THE CLOSURE IN THE BOUNDARY SURVEY IS ABOVE.

7500 FT

4) IF SHOWN ELEVATIONS ARE REFERRED TO BROWARD COUNTY.

ALL ELEVATIONS SHOWN ARE REFERRED TO NATIONAL GEODETIC VERTICAL DATUM OF 1929 CITYOF MARGATE BENCH MARK# 2725 ELEVATION 11.09 FEET OF N.G.V.D. OF 1929

SURVEYOR'S CERTIFICATION

HEREBY CERTIFY: THAT THIS "BOUNDARY SURVEY" OF THE PROPERTY DESCRIBED HEREON, AS RECENTLY SURVEYED AND DRAWN UNDER MY SUPERVISION. COMPLIES WITH THE MINIMUM TECHNICAL, STANDARDS AS SET FORTH BY THE FLORIDA BOARD OF PROFESSIONAL LAND SURVEYORS IN CHAPTER 61017-6, FLORIDA ADMINISTRATIVE CODE PURSUANT TO 472 027, FLORIDA STATUTES.

11-10-14 DATE OF FIELD WORK) GEORGE IBARRA

PROFESSIONAL LAND SURVEYOR NO. 2534 STATE OF FLORIDA (VALID COPIES OF THIS SURVEY WILL BEAR THE EMBOSSED SEAL OF THE ATTESTING LAND SURVEYOR).

REVISED ON: REVISED ON

LEGAL NOTES TO ACCOMPANY SKETCH OF SURVEY ("SURVEY"):

LEGAL NOTES TO ACCOMPANY SKETCH OF SURVEY ("SURVEY"):

- THERE MAY BE EASEMENTS RECORDED IN THE PUBLIC RECORDS NOT SHOWN ON THIS SURVEY.

- THE PURPOSE OF THIS SURVEY IS FOR USE IN OBTAINING TITLE INSURANCE AND FINANCING, AND SHOULD NOT BE USED FOR CONSTRUCTION PURPOSES.

- EXAMINATIONS OF THE ABSTRACT OF TITLE WILL HAVE TO BE MADE TO DETERMINE RECORDED INSTRUMENTS, IF ANY, AFFECTING THE PROPERTY. THIS SURVEY IS SUBJECT TO DEDICATIONS, LIMITATIONS, RESTRICTIONS, RESERVATIONS OR EASEMENTS OF RECORD, AND LEGAL DESCRIPTIONS PROVIDED BY CLIENT OR ATTESTING TITLE COMPANY, BOUNDARY SURVEY MEANS A DRAWING AND / OR A GRAPHIC REPRESENTATION OF THE SURVEY WORK PERFORMED IN THE FIELD. COULD BE DRAWN AT A SHOWN SCALE AND / OR NOT TO SCALE.

- EASEMENTS AS SHOWN ARE PER PLAT BOOK UNLESS OTHERWISE SHOWN.

- THE FIELD. COULD BE CHARN AT A SHOWN SCALE AND / OR NOT TO SCALE.

- EASEMENTS AS SHOWN ARE PER PLAT BOOK UNLESS OTHERWISE SHOWN.

- THE FIELD SHOULD SHOULD

CERTIFIED TO: RMG REAL ESTATE HOLDINGS, LLC







5582 N.W. 7TH STREET, SUITE 20: TELEPHONE: (305) 264-2660 FAX: (305) 264-0229

Nova Surveyors, Inc.

LAND SURVEYORS

SURVEY OF LOT 8, BLOCK 1, OF LAKEWOOD GARDENS, ACCORDING TO THE PLAT THEREOF AS RECORDED IN PLAT BOOK 78, PAGE 2, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA.


| SURVEY | NO | 7-0005315-2 |
|--------|----|-------------|
| | | |

SHEET NO

PROPERTY ADDRESS: 461 BANKS RD, MARGATE, FL 33063 RMG REAL ESTATE HOLDINGS, LLC

LOCATION SKETCH

Scale 1" = NT.S.



PEACH

FARMA

COMPANY

SWK = SIDEWALK T = TANGENT TWP = TOWNSHIP

₹ = ANGLE △ = CENTRAL ANGLE £ = CENTER LINE 哲 = MONUMENT LINE

U.E. = UTILITY EASEMENT U.P. = UTILITY POLE

W.M. = WATER METER W.R. = WOOD ROOF W.S. = WOOD SHED

SUBDIVISION

(1

ABBREVIATION AND MEANING

A = ARC

A/C = AIR CONDITIONER PAD

A E = ANCHOR EASEMENT

A/R = ALUMINIUM ROOF

A/S = ALUMINIUM SHED

ASPH, = ASPHALT

B.C. = BICOK CORNER

B.C. R. = BROWARD COUNTY RECORDS

6.M. = BENCH MARK

B.O. B. = BASIS OF BEARINGS

C = CALCULATED

C B. = CATCH BASIN

C.B.W. = CONCRETE BLOCK WALL

CH = CHORD

CH B. = CHORD BEARING

CL = CLEAR

- CLEAR

CL = CLEAR
CL = CHAIN LINK FENCE
CME = CANAL MAINTENANCE
EASEMENTS
CONC = CONCRETE
CP = CONCRETE PORCH
CS = CONCRETE SLAB
DE = DRAINAGE EASEMENT
DM E = DRAINAGE MAINTENANCE
EASEMENTS
EASEMENTS

EASEMENTS

DRIVE = DRIVEWAY DRIVE = DRIVEWAY

ETC = ENCROACHMENT

ETC = ELECTRIC TRANSFORMER PAD

FFE = FINISHED FLOOR ELEVATION

FH = FIRE HYDRANT

F.I.P = FOUND IRON PIPE

F.I.R = FOUND IRON ROD

F.N = FOUND NAIL

FN D = FOUND NAIL & DISK

FNP. = FEDERAL NATIONAL INSURANCE PROGRAM
IN SEG = INGRESS AND EGRESS EASEMENT
L.F.E. = LOWEST FLOOR ELEVATION
L.M.E. = LAKE MAINTENANCE EASEMENT
L.P. = LIGHT POLE
M. = MEASURED DISTANCE
MH = MANHOLE
N.A.P. = NOT A PART OF
NGDD = NATIONAL GEODETIC VERTICAL
DATUM DATUM
N.T.S. - NOTTO SCALE
O.H.L. = OVERHEAD UTILITY LINES
O.R.B. = OFFICIAL RECORD BOOK
O.S. = OFFICIAL RECORD BOOK
O.S. = OFFSET
OVH. = OVERHANG
P.B. = PLAT BOOK
P.C. = POINT OF CURVE
P.C.C. = POINT OF COMPOUND CURVE
PL. = PLANTER
P.L.S. = PROFESSIONAL LAND
SURVEYOR DATUM

SURVEYOR
P.O.B. = POINT OF BEGINNING

P O B. = POINT OF BEGINNING
P O C. = POINT OF COMMENCEMENT
P P = POWER POLE
P P.S. = POOL PUMP SLAB
P.R. C. = POINT OF REVERSE CURVE
PRM = PERMANENT REFERENCE
MONUMENT
P I = POINT OF TANGENCY
PVMT. = PAVEMENT
PWY = PARKVYAY
R = RECORD DISTANCE

LEGEND TYPICAL

-OH- OVERHEAD UTILITY LINES ZZZZ C.B.S = WALL (CBW) * C.L.F. = CHAIN LINK FENCE

RAD = RADIUS OF RADIAL
RGE = RANGE
R.P. = RADIUS POINT
R.C. = RODG OVERHANG
EASEMENT
RW = RIGHT-OF-WAY
SEC. = SECTION
S.I.P. = SET IRON PIPE I.B. #6044
SWK = SIDEVMAK -0-0- I.F. = IRON FENCE -/--- W.F. = WOOD FENCE

= EXISTING ELEVATIONS

SURVEYOR'S NOTES

SURVEYOR'S NOTES

JIE SHOWN, BEARINGS ARE REFERRED TO AN ASSUMED MERIDIAN, BY SAID PLAT IN THE DESCRIPTION OF THE PROPERTY IF NOT, THEN BEARINGS ARE REFERRED TO COUNTY, TOWNSHIP MAPS.

2) THIS IS A SPECIFIC PURPOSE SURVEY.

3) THE CLOSURE IN THE BOUNDARY SURVEY IS ABOVE 1.7500 FT.

4) IF SHOWN, ELEVATIONS ARE REFERRED TO BROWARD COUNTY.

ALL ELEVATIONS SHOWN ARE REFERRED TO NATIONAL GEODETIC VERTICAL DATUM OF 1929 CITYOF MARGATE BENCH MARK# 2225 ELEVATION 11.09 FEET OF N.G.V.D. OF 1929

LEGAL NOTES TO ACCOMPANY SKETCH OF SURVEY ("SURVEY"):

LEGAL NOTES TO ACCOMPANY SKETCH OF SURVEY ("SURVEY"):

THERE MAY BE EASEMENTS RECORDED IN THE PUBLIC RECORDS NOT SHOWN ON THIS SURVEY.

THE PURPOSE OF THIS SURVEY IS FOR USE IN OBTAINING TITLE INSURANCE AND FINANCING, AND SHOULD NOT BE
USED FOR CONSTRUCTION PURPOSES.

EXAMINATIONS OF THE ABSTRACT OF TITLE WILL HAVE TO BE MADE TO DETERMINE RECORDED INSTRUMENTS, IF ANY,
AFFECTING THE PROPERTY. THIS SURVEY IS SUBJECT TO DEDICATIONS, LIMITATIONS, RESTRICTIONS, RESERVATIONS
OR EASEMENTS OF RECORD AND LEGAL DESCRIPTIONS PROVIDED BY CLIENT OR ATTESTING THE COMPANY.
BOUNDARY SURVEY MEANS A DRAWING AND JOR A GRAPHIC REPRESENTATION OF THE SURVEY WORK PERFORMED IN
THE FIELD. COULD BE DRAWN AT A SHOWN SCALE AND JOR NOT TO SCALE.

EASEMENTS AS SHOWN ARE PER PLAT BOOK UNLESS OTHERWISE SHOWN.

THE TERM ENCROACHMEN' MEANS VISIBLE AND ABOVE GROUND ENCROACHMENTS
ARCHITECTS SHALL VERIEY ZONING REGULATIONS RESTRICTIONS AND SETBACKS, AND THEY WILL BE RESPONSIBLE
FOR SUBMITTING PLOT PLANS WITH THE CORRECT INFORMATION FOR THEIR APPROVAL FOR AUTHORIZATION TO
AUTHORITIES IN NEW CONSTRUCTIONS, UNLESS OTHERWISE NOTED. THIS FIRM HAS NOT ATTEMPTED TO LOGATE
FOOTING AND/OR FOUNDATIONS
FENCE OWNERSHIP NOT DETERMINED.

HEREON, THE CERTIFICATE DOES NOT EXTENDED TO ANY UNNAMED PARTY.

THE SURVEYOR MAKES NO CUARANTEES AS TO THE EXCLUSIVE USE OF THE ENTITIES NAMED.

HEREON, THE CERTIFICATE DOES NOT EXTEND TO ANY UNNAMED PARTY.

THE SURVEYOR MAKES NO CUARANTEES AS TO THE EXCLUSIVE USE OF THE INFORMATION BELOW. THE LOCAL F.E.M.A

AGENT SHOULD BE CONTACTED FOR VERIFICATION THE FIND FROM THE PROPRIATION BELOW. THE HEREIN DESCRIBED

LAND TO BE STUDYED TO THE HEREIN DESCRIBED

LAND TO BE STUDYED THE HEREIN DESCRIBED

LAND TO BE STUDYED THE HEREIN DESCRIBED

LAND TO BE STUDYED TO THE HEREIN DES

BASE FLOOD ELEVATION: 10 FT.

SURVEYOR'S CERTIFICATION

SURVETURS ZERTIFICATION
HEREBY CERTIFY THAT THIS BOUNDARY SURVEY OF
THE PROPERTY DESCRIBED HEREON, AS RECENTLY
SURVEYED AND DRAWN UNDER MY SUPERVISION,
COMPLIES WITH THE MINIMUM TECHNICAL STANDARDS
AS SET FORTH BY THE FLORIDA BOARD OF
PROFESSIONAL LAND SURVEYORS IN CHAPTER 61G17-6.
FLORIDA ADMINISTRATIVE CODE PURSUANT TO 472 027,
FLORIDA STATUTES.

fuce. 11-10-14 (DATE OF FIELD WORK) GEORGE IBARRA


PROFESSIONAL LAND SURVEYOR NO. 2534 STATE OF FLORIDA (VALID COPIES OF THIS SURVEY WILL BEAR THE EMBOSSED SEAL OF THE ATTESTING LAND SURVEYOR)

REVISED ON:

CERTIFIED TO: RMG REAL ESTATE HOLDINGS LLC



SURVEYOR'S SEAL



American National

Commercial Real Estate
Due Ditigence Management
3465 South Arlington Road
Suite E #183
Akron, Ohio 44312

SYMBOL LEGEND

www.amnational.net

ALTA/ACSM Land Title Survey

Contenting
Pass Pool of Bayoning
Pass Pool of Commencement
Survey's Cotomolous
Survey's Cotomolous
Survey's Cotomolous
Survey's Cotomolous
Survey's Cotomolous
Survey
Surv

Banks Road-Margate

Surveyor Certification

471-A, B & C Banks Road Margate, FL County of Broward Banks Road-Margate

Tis. East und Services Inc., Sevent tille ducatory Company, Rich Red Estate randomy LLC, and American National LLC. This is a certify intel this may or pail and the survey on whether it is based were made in occurance with the 2011 Mamma Standard Neurol and when it is based were made in a constance with the 2011 Mamma Standard Neurol and Company of the Company of

Michael E. Petullo
Land Surveyor Number: #4372
In state of Florido
LB #7983

Survey Prepared By.
Machael Petulla, Lond Surveying
1 North 1st Street #8
Cocco Beach, FL 3/2931
Network reference #2/014/04/28-1
Date of Survey, June 30, 2014
Date of Last Revision:

Notes Corresponding to Schedule B

3.74" OFFSET

Septement contained in instrument reported in Official Record Book 5827. Page 916, the Record R

GRAPHIC SCALE
1 INCH = 20 FT.

9.5 -

10 % 640% 7 ESS & EXCEPT

T PO TH. PACE 2

(T) 7. Matters as shown on the plat of Lithewood Garden, of the Public Pagards of Browned County, Florido, AFFECTS THE SUBJECT PROPERTY - PLOTTED & SHOW!

THE SUBJECT PROPERTY - BLANKET IN NATURE

Title Commitment Legal

Lot 7, LESS the Southern 64 feet, Black 1, LAKEWOOD GARDENS SUBDIVISION, as Plot Book 78, Page 2 of the Public Records of Broward County, Florida. the above described parcel is the same parcel as described in Stewart Title Guaranty Compon-commitment No. EAU108034FL, bearing an effective date of July 2, 2014.

How or Formerly: CITY OF MARGATE Book 25660, Page: 430 APH: 484231010140

1 Story Mosonry Block 4,357 Square Feet Height=15.2"

PONT OF MEASURED BUILDING HOGHT

PE SOM PE

Banks Road

FOUND 1/2"

CFOSTIBE FINE MO4.41,13_M 150°22.

1 Stary Mesonry Block 4,357 Square Feet Height=15.2*

PONT OF WEADURED

15" side selback

ON Bridge 205.00

FOUND 1/2" IRON BAR

BANKS ROAD CORP BANKS ROAD CORP BOOK 45291, Page: 866 APR: 484231030060

Stand Membel

Colds from Colds

Southy Nembel

Southy Nembel

For yeard

For

No Recorded Distance

No Recorded Distance

Normanishing Found on Noted

1/2 or 5/8" to se Pr

1/4 NAC Not or Restroad Spite

1/4 NAC Not or Pr

1/4 NAC NOT OR

1/4 NA CNIO The boundary lines of the Property are contiguous and contains no gop, gores or everlops.

GNB hergote, FL On the date of the field survey there was not observable evidence of site used as a solid waste aump, sump or sanitary landfill. GNB precision requirements of ALTA/ACSM specifications white the otherwise shown."

GNB Surveyor is unowere of any changes in street right of way lines, either completed or proposed. On the date of the field survey there was no observable widence of earth moving work, building construction, or building additions within recent manths. GNJ Parcel Number of subject site. APN: 4842-31-03-007. 4842-31-03-0073 and 4842-31-03-0074 There are 12 regular parking spaces and 0 handicapped parking spaces for a total of 12 parking spaces on the subject property. GN2 There is indirect access to the subject property wa Banks Road, a public right-of-way.

Encroachment Statement

(GN) line of subject property, known as being 5 00°40'20" W, per Plat Book 78, Page 2 of Broward County Records.

General Notes

By graphic platting only, this property is in Zone, "Ant" of the Flood Insurance Rate Map, Community Panel No. 12011(C0115; which bears on effective date of 9-18-92 and is in a Special Flood Hazard Area. Flood Zone

He shiftere of potential entitleds were observed on the subject property of the line shiftery was conducted, not howe we received any documentation of any williands bring located on the subject property. Wetlands Note

AMP Zoning Consultants 66 North Orlando Avenue Suite 205, Cocoa Beach, Florida 32931 AmpZoningOpmali.com

From observed above ground appurtenances only as shown hercon, gas, electric, storm sever, sanitary sever, telephone with a property within the public right of way of Banks Road. The location of utilities shown hereon are from observed evidence of above ground oppuritenances only. The surveyor was not provided with undergound plans are surface ground markings to determine the location of any subterroneon uses

Utility Notes

Zoning Notes

Surveyed Area

VESTED III:
ThE HOLDINGS LLC
A Floride Limited Limited Locality Comp
Book 44/29, Poge 764
APN: 4862-21-03-0073 &
4842-31-03-0073 & TOTAL LAND AREA 24,686.16± Square Feet 0.567± Acres

Vicinity Map

PAGE 1 OF 1

*** City of Margate CUSTOMER RECEIPT ***

Receipt no: 1/26/15 00 Batch ID: AMORALES

57747

Amount

\$250.00

Type SvcCd Description EG ECDV REZONING

1.00

Qty RMG REAL ESTATE HOLDINGS GROUP

4829 S HEMINGWAY CIRCLE

MARGATE, FL 33063 RE: 451-461-471 BANKS ROAD

REZONING PETITION APPLICATION

1146 Total tendered: Total payment: Tender detail CK Ref#:

\$250.00 \$250.00 \$250.00

Time: 16:47:18

HAVE A GREAT DAY!

1/26/15

Trans date:

*** CUSTOMER RECEIPT City of Margate ***

Receipt no: 1/26/15 00

Batch ID: AMORALES

57745

Amount

Type SvcCd Description EB ECDV BANNERS

\$150.00

RMG REAL ESTATE HOLDINGS GROUP

1.00

4829 S HEMINGWAY CIRCLE

MARGATE, FL 33063 RE: 451-461-471 BANKS ROAD PUBLIC HEARING SIGN BOND

Tender detail CK Ref#:

1145

Total tendered: Total payment:

\$150.00 \$150.00 \$150.00

Time: 16:40:46 1/26/15 Trans date:

HAVE A GREAT DAY!

