

W Sample Rd 834





CRAVEN • THOMPSON AND ASSOCIATES, INCENGINEERS • PLANNERS • SURVEYORS
3563 N.W. 53RD STREET, FORT LAUDERDALE, FLORIDA 33309
FAX: (954) 739-6409

LEGEND

GRAPHIC SCALE: 1"=30'

BROWARD COUNTY RECORDS CALCULA TED CALCULATED FROM TRAVERSE CONCRETE CHAIN LINK FENCE CORRUGATED METAL PIPE NAIL & TAB *INVERT ELEVATION* PLAT BOOK P. G. PAGE RIGHT-OF-WAY SET 5/8 IRON ROD & CAP "LB SN/T SATUMAHY IOLEAROÜLB 271"

CO o ROOF DRAIN BFP (NAV) BACK FLOW PREVENTER SIAMESE VALVE *ANCHOR* CATCH BASIN ----CONCRETE POWER POLE CURB INLET

DOUBLE DETECTOR CHECK VALVE DDCV የህየህ DRAINAGE MANHOLE (D) ELECTICAL CONTROL BOX ELECTICAL METER ELECTICAL PULL BOX

ELECTICAL PULL BOX FIRE HYDRANT **⋈** IRR IRRIGATION VALVE LIGHT POLE

PEDESTRIAN CROSSING SIGNAL SANITARY SEWER MANHOLE S/GN

SIEMESE VALVE (FIRE DEPART. CONNECT) SPOT ELEVATION SPOT/LANDSCAPE LIGHTING TELEPHONE MANHOLE

TRAFFIC CONTROL BOX TRAFFIC PULL BOX WATER GATE VALVE CENTERLINE LIGHT POLES

SHADE TREE PALM TREE

* * * * * * CHAIN LINK FENCE

----ss ----- SANITARY SEWER

+++++++ NON-VEHICULAR ACCESS LINE

----stm----- STORM LINE

W Sample Rd (834) metroPCS H&R Block La Bamba WESTWOOD PLAZA PLAT BOOK 140. PAGE 31. BROWARD COUNTY. FLORIDA PARCEL B PARCEL C SURVEY LIMITS PARCEL A **VICINITY MAP** NOT TO SCALE

DESCRIPTION:

PARCELS A, B AND C, WESTWOOD PLAZA, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 140. PAGE 31, OF THE PUBLIC RECORDS OF BROWARD COUNTY. FLORIDA, SUBJECT TO ALL EASEMENTS RESERVATIONS AND RIGHT OF WAYS OF RECORD

SAID LANDS BEING IN THE CITY OF MARGATE, BROWARD COUNTY, FLORIDA, CONTAINING 83.054 ACRES (3.617,840 SQUARE FEET) MORE OR LESS.

TREE	DESCRIPTIONS	TREE	DESCRIPTIONS
827	16" SABAL PALM BH=14'	4530	8" POND APPLE
828	13" SABAL PALM BH=14'	4531	6" POND APPLE
829	13" SABAL PALM BH=21'	4535	8" POND APPLE
830	9" OAK	4536	14" POND APPLE
3889	4" PALM BH=4'	4545	10" OAK
3891	4" PALM BH=4'	4550	12" OAK
3892	4" PALM BH=4'	4551	12" OAK
3894	ARECA BAMBOO PALM CLUSTER'	4609	10" POND APPLE
3927	10" UNKNOWN TREE	4610	10" POND APPLE
3928	14" UNKNOWN TREE	4614	8" FOXTAIL PALM BH=10'
3929	12" SABAL PALM BH=12'	4615	8" OAK
3930	20" UNKNOWN TREE	4616	12" OAK
4030	10" QUEEN PALM BH=16'	4617	14" OAK
4031	10" QUEEN PALM BH=18'	4618	16" OAK
4033	12" QUEEN PALM BH=14'	4619	14" BLACK OLIVE
4060	2" FOXTAIL PALM BH=4'	4620	12" BLACK OLIVE
4107	(2)6" UNKNOWN	4621	14" BLACK OLIVE
4108	FICUS (CLUSTER)	4622	12" BLACK OLIVE
4109	8" SABAL PALM BH=14'	4623	20" BLACK OLIVE
4111	8" TROPICAL ALMOND	4624	14" BLACK OLIVE
4143	18" OAK	4625	8" OAK
4145	1A8" OAK	4626	14" BLACK OLIVE
4148	20" OAK	5382	3" SILVER BUTTONWOOD
4159	20" OAK	5383	16" OAK
4162	10" SABAL PALM BH=4'	5384	14" OAK
4163	8" QUEEN PALM BH=12'	5385	18" OAK
4164	(2)3" ROBELLINI PALM BH=6'	6189	12" PALM BH=5'
4165	8" QUEEN PALM BH=8'	6190	14" PALM BH=4'
4166	8" QUEEN PALM BH=12'	6191	14" PALM BH=4'
4167	10" SABAL PALM BH=6'	6192	16" PALM BH=5'
4170	8" SABAL PALM BH=12'	6193	14" PALM BH=4'
4172	10" SABAL PALM BH=18'	6194	14" PALM BH=4'
4173	8" CHINESE FAN PALM BH=10'	6230	16" PALM BH=5'
4174	(2)2" ROBELLINI PALM BH=5'	6231	16" PALM BH=5'
4177	10" CHINESE FAN PALM BH=10'	6232	18" PALM BH=4'
4178	8" QUEEN PALM BH=12'	6233	12" PALM BH=4'
4179	8" CHINESE FAN PALM BH=12'	6234	16" PALM BH=5'
4180	8" CHINESE FAN PALM BH=10'	6235	16" PALM BH=5'
4181	8" CHINESE FAN PALM BH=12'	6236	12" PALM BH=8'
4182	8" CHINESE FAN PALM BH=12'	12006	12" MAPLE
4183	36" ARECA BAMBOO PALM BH=16'		
4184	42" ARECA BAMBOO PALM BH=16'		

SURVEYOR'S NOTES:

- 1. THE BEARINGS SHOWN HEREON ARE BASED ON THE PLAT OF WESTWOOD PLAZA, AS RECORDED IN PLAT BOOK 140, PAGE 31, BROWARD COUNTY RECORDS. THE EAST BOUNDARY OF PARCEL A BEARS NORTH 00°23'34" WEST.
- 2. THERE HAVE BEEN NO UNDERGROUND IMPROVEMENTS LOCATED IN CONNECTION WITH THIS SURVEY EXCEPT FOR THE ONES SHOWN HEREON.
- 3. THE ELEVATIONS SHOWN HEREON ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD '88) AND ARE REFERENCED TO NATIONAL GEODETIC SURVEY BENCHMARK NUMBER DESIGNATION: 008: P.I.D: D02647. AN ALUMINUM DISC IN CONCRETE MONUMENT, 470' WEST OF THE CENTERLINE OF ANDREWS AVENUE EXTENSION AND 69' NORTH OF THE CENTERLINE OF SAMPLE ROAD. ELEVATION = 13.25.

NOTE: THIS SURVEY WAS ORIGINALLY BASED ON THE NATIONAL GEODETIC VERTICAL DATUM OF 1929 (NGVD '29) AS REFERENCED TO BROWARD COUNTY BENCH MARK NO. 2732: STAMPED BRASS CAP STAMPED BM #80 AT SOUTHEAST CORNER S.BT. AND T. CONTROL BOX CONCRETE SLAB, AT THE SOUTHWEST QUADRANT OF LYONS ROAD AND COCOPLUM CIRCLE, 91.8'± WEST AND 46.3± SOUTH OF THE INTERSECTION CENTERLINE. ELEVATION=14.520.

THE ELEVATION DIFFERENCE BETWEEN NGVD '29 AND NAVD '88 FOR THIS SURVEY ONLY IS (-)1.49, THUS ELEVATION 10.00' NGVD '29 IS EQUAL TO ELEVATION 8.51' (NAVD '88).

- 4. THE ELEVATIONS SHOWN HEREON ARE FOR THE PURPOSE OF INDICATING THE GROUND ELEVATION ONLY AT THE POSITION SHOWN AND IN NO WAY INDICATE ELEVATIONS AT ANY OTHER POINT THAN THAT SHOWN HEREON AND IN NO WAY REFLECT SUBSURFACE OR SOIL CONDITIONS.
- 5. THE SYMBOLS REFLECTED IN THE LEGEND AND ON THIS SURVEY MAY HAVE BEEN ENLARGED FOR CLARITY. THE SYMBOLS HAVE BEEN PLOTTED AT THE CENTER OF THE FIELD LOCATION AND MAY NOT REPRESENT THE ACTUAL SIZE OR SHAPE OF THE
- 6. THERE HAVE BEEN NO UNDERGROUND IMPROVEMENTS LOCATED IN CONNECTION WITH THIS SURVEY EXCEPT AS SHOWN
- 7. BUILDING TIES ARE PERPENDICULAR OR RADIAL TO THE BOUNDARY LINES UNLESS OTHERWISE NOTED.
- 8. TREE TYPES ARE DETERMINED TO THE BEST OF OUR KNOWLEDGE. EXACT SPECIES SHOULD BE VERIFIED BY A LICENSED BOTANIST, DENDROLOGIST OR OTHER PROFESSIONAL WITH SUCH CAPACITY. NOTE: THE TREE(S) DEPICTED HEREON WITHOUT A NUMBER DESIGNATION WERE FROM THE ORIGINAL 2010 SURVEY. THOSE TREES WERE ONLY PARTIALLY UPDATED AS PART OF THIS SURVEY, SUCH UPDATES INCLUDE THE DELETION OF TREE THAT NO LONGER EXISTS. THE FIELD CREW ALSO INDICATED THAT MANY OF THE ORIGINAL TREES MAY HAVE BEEN REPLACED.
- 9. THIS DRAWING IS THE PROPERTY OF CRAVEN THOMPSON AND ASSOCIATES, INC. AND SHALL NOT BE USED OR REPRODUCED IN WHOLE OR PART WITHOUT WRITTEN AUTHORIZATION.
- 10. THE LANDS SHOWN HEREON WERE NOT ABSTRACTED BY THE UNDERSIGNED FOR RIGHTS-OF-WAY, EASEMENTS, RESERVATIONS, AND OTHER SIMILAR MATTERS OF RECORD. SUCH INFORMATION SHOULD BE OBTAINED AND VERIFIED BY OTHERS THROUGH APPROPRIATE TITLE VERIFICATION.
- 11. THE LANDS SHOWN HEREON ARE SUBJECT TO ALL EASEMENTS, RESERVATIONS, RIGHTS-OF-WAY, AND RESTRICTIONS OF
- 12. ALL EASEMENTS SHOWN HEREON ARE PER RECORD PLAT UNLESS OTHERWISE NOTED.

13. FLOOD ELEVATION INFORMATION:

A. COMMUNITY NO. B. DATE OF FIRM AUGUST 18, 2014 0.2 PCT ANNUAL CHANCE FLOOD HAZARD C. FIRM ZONE

D. PANEL NUMBER E. SUFFIX

F. BASE FLOOD ELEVATION N/A

- 14. THIS SURVEY MAP AND REPORT OR COPIES THEREOF ARE NOT VALID WITHOUT THE SIGNATURE AND ORIGINAL RAISED SEAL OR A UNIQUE ELECTRONIC SIGNATURE OF A FLORIDA LICENSED PROFESSIONAL SURVEYOR AND MAPPER UNDER CHAPTER RULES 5J-17.061 & 5J-17.062 FLORIDA ADMINISTRATIVE CODE.
- 15. ADDITIONS OR DELETIONS TO SURVEY MAPS OR REPORTS BY OTHER THAN THE SIGNING PARTY OR PARTIES IS PROHIBITED WITHOUT WRITTEN CONSENT OF THE SIGNING PARTY OR PARTIES.
- 16. THIS SURVEY DRAWING WAS PREPARED FOR THE EXCLUSIVE USE OF JM LEXUS OF MARGATE, FOR THE EXPRESS PURPOSE STATED HEREON AND/OR CONTAINED IN THE CONTRACT AND AFOREMENTIONED CLIENT FOR THIS PROJECT.
- 17. THIS SURVEY IS LIMITED TO THE LOCATION OF ABOVE GROUND IMPROVEMENTS ONLY. UNDERGROUND UTILITIES, FOUNDATIONS OR OTHER BURIED ENCROACHMENTS WERE NOT LOCATED IN CONNECTION WITH THIS SURVEY UNLESS
- 18. THE EXPECTED USE OF THIS SURVEY AND MAP IS FOR COMMERCIAL/HIGH RISK, THEREFORE THIS SURVEY IS CLASSIFIED AS COMMERCIAL/HIGH RISK LINEAR AND EXCEEDS THE MINIMUM RELATIVE DISTANCE ACCURACY OF 1 FOOT IN 10,000 FEET AS REQUIRED BY THE FLORIDA STANDARDS OF PRACTICE (5J-17-6, F.A.C.).
- 19. THIS MAP IS INTENDED TO BE DISPLAYED AT A SCALE OF 1"=30' OR SMALLER. HORIZONTAL FEATURE LOCATIONS ARE TO THE CENTER OF THE SYMBOL AND MAY BE ENLARGED FOR CLARITY AND MAY NOT REPRESENT THE ACTUAL SIZE OR SHAPE OF THE
- 20. HORIZONTAL AND VERTICAL DATA SHOWN HEREON WAS OBTAINED USING A "LEICA TC-700 SERIES" TOTAL STATION AND "SPECTRA PRECISION" SURVEY PRO DATA COLLECTION SOFTWARE. THE ACCURACY OF CONTROL SURVEY DATA HAS BEEN VERIFIED BY REDUNDANT MEASUREMENTS OR TRAVERSE CLOSURES.

SURVEYOR'S CERTIFICATE:

I HEREBY CERTIFY THAT THIS SKETCH OF SURVEY AND OTHER PERTINENT DATA SHOWN HEREON, OF THE ABOVE DESCRIBED PROPERTY WAS MADE ON THE GROUND, CONFORMS TO THE STANDARDS OF PRACTICE FOR LAND SURVEYING IN THE STATE OF FLORIDA, AS OUTLINED IN RULES 5J-17.051 AND 5J-17.052, (FLORIDA ADMINISTRATIVE CODE) AS ADOPTED BY THE DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES, BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS IN SEPTEMBER, 1981, AS AMENDED, PURSUANT TO CHAPTER 472.027, FLORIDA STATUTES AND THAT SAID SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AS SURVEYED UNDER OUR DIRECTION IN JANUARY, 2001 WITH UPDATES THUR MARCH 2005. AND UPDATED JUNE 2015.

DATE OF LAST FIELD WORK JUNE 5, 2015.

01-0046.101

SHEET 1 OF 4

NICHOLAS MESSINA JR. FLORIDA PROFESSIONAL SURVEYOR AND MAPPER NO 6559 CRAVEN THOMPSON & ASSOCIATES, INC. LICENSED BUSINESS NUMBER #271

ARG,

0

PROJECT NO.

S-1

